

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359 / 52022 / 1001

ECOLAB Engineering GmbH
D-83313 Stegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 108 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: 280048

OGM PLUS 01200PPEPPKKE-G1/2i-00-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359/52822/1002

ECOLAB Engineering GmbH
D-83313 Siegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 113 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200



PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359 / 52022 / 1003

ECOLAB Engineering GmbH
D-83313 Siegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 108 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359 / 52822 / 1004

ECOLAB Engineering GmbH

D-83313 Siegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 115 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359/52622/1005

ECOLAB Engineering GmbH
D-83313 Siegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359 / 52822 / 1006

ECOLAB Engineering GmbH

D-83313 Siegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 111 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359/52622/1007

ECOLAB Engineering GmbH
D-83313 Siegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359/52822/1008

ECOLAB Engineering GmbH

D-83313 Siegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 488359 / 52822 / 1009

ECOLAB Engineering GmbH
D-93313 Siegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359 / 52822 / 1010

ECOLAB Engineering GmbH
D-83313 Siegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359 / 52622 / 1011

ECOLAB Engineering GmbH

D-83313 Slegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359/52822/1012

ECOLAB Engineering GmbH
D-83313 Siegedorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359 / 52622 / 1013

ECOLAB Engineering GmbH

D-83133 Siegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 109 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359 / 52922 / 1014

ECOLAB Engineering GmbH

D-83313 Siegedorf

Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359 / 52022 / 1015

ECOLAB Engineering GmbH

D-83313 Siegedorf

Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 111 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359/52022/1018

ECOLAB Engineering GmbH
D-83313 Siegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 115 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359 / 52022 / 1017

ECOLAB Engineering GmbH
D-83313 Siegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359 / 52922 / 1018

ECOLAB Engineering GmbH
D-83313 Siegedorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359 / 52922 / 1019

ECOLAB Engineering GmbH
D-83313 Siegedorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 498359/52622/1020

ECOLAB Engineering GmbH
D-83313 Siegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 115 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.07.22

Prüfer P 410