

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100



PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic
signal output (standard): 20,0 ml/pulse, 50 pulses/l
max. pump size: 210 / 250 l/h (50/60Hz)
semiconductor junction: PNP
prod. code: 02/700122 / 42922 / 1001

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 74 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/700122 / 42922 / 1002

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 73 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/700122 /42922 /1003

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 72 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280045**



OGM PLUS 02100VCFPPKKE-G5/4l-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/700122/42922/1004

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 76 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.07.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/700122/42922/1005

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 75 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.07.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/700122/42922/1008

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 75 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280045**



OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/700122/42922/1007

ECOLAB Engineering GmbH
D-93313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 76 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280045**



OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/700122/42922/1008

ECOLAB Engineering GmbH
D-83313 Stegedorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 76 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 m/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/700122 / 42922 / 1009

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 73 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/700122/42922/1010

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 76 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.07.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280045**



OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/700122/42922/1011

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 73 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.07.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/700122 / 42922 / 11012

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 74 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4l-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/700122 / 42922 / 1013

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 71 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/700122/42822/1014

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 74 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.07.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/700122/42922/11015

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 76 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/700122/42922/1018

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 63 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/700122 /42922 /1017

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 73 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/700122/42922/1018

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 74 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.07.22

Prüfer **P 410**