

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701861 / 53622 / 1001

ECOLAB Engineering GmbH

D-83313 Siegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701881 / 53622 / 1002

ECOLAB Engineering GmbH  
D-83313 Stegendorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701861 / 53622 / 1003

ECOLAB Engineering GmbH

U-83313 Siegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 122 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.05.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701861 / 53622 / 1004

ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.05.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: 10240555



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701861 / 53822 / 1005

ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: 10240555



OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701661 / 53622 / 1006

ECOLAB Engineering GmbH  
D-83313 Siegedorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 119 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701881 / 53822 / 1007

ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer **P 410**



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701861 / 53822 / 1008

ECOLAB Engineering GmbH  
D-63313 Siegedorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer **P 410**



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic  
signal output (standard): 5.0 ml/pulse, 200 pulses/l  
max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Year/Prod. code: 2022 / 701861 / 53622 / 1009

ECOLAB Engineering GmbH  
D-63313 Siedsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701881 / 53822 / 1010

ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701861 / 53622 / 1011

ECOLAB Engineering GmbH

D-83313 Siedsdorf

Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701861/53622/1012

ECOLAB Engineering GmbH  
D-83313 Stegendorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 113 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701861 / 53822 / 1013

ECOLAB Engineering GmbH

D-83313 Stegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 122 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701661 / 53622 / 1014

ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 108 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: 10240555



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701861 / 53822 / 1015

ECOLAB Engineering GmbH

D-83313 Siegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701861 / 53622 / 1018

ECOLAB Engineering GmbH  
D-83313 Siedsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701881 / 53822 / 1017

ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 113 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701861 / 53822 / 1018

ECOLAB Engineering GmbH

D-83313 Siegedorf

Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 119 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701861 / 53622 / 1019

ECOLAB Engineering GmbH

D-83313 Siegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 124 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.05.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4I-98-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701861 / 53822 / 1020

ECOLAB Engineering GmbH  
D-63313 Siegedorf  
Made In Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.05.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701861 / 53822 / 1021

ECOLAB Engineering GmbH

D-83313 Siegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 109 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701861 / 53822 / 1022

ECOLAB Engineering GmbH  
D-93313 Stegendorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701861 / 53622 / 1023

ECOLAB Engineering GmbH

D-83313 Siegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 701861 / 53622 / 1024

ECOLAB Engineering GmbH  
D-93313 Slegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 19.09.22

Prüfer P 410