

# Prüfprotokoll OGM<sup>plus</sup>

Washtronic EXACT II Typ1

PN: 290032

OGM 010VCFFPKKETI-G1/4I-99-0820-0030

Materials of construction:

PVC, FPM, PEEK,

ceramic, titan

Signal output:

820 pulse/l

Max. flow rate:

30 l/h

Prod. code:

702327 / 231 22 / 1001

ECOLAB Engineering GmbH

D-83313 Siegsdorf



Anlaufgrenze 5,5 [l/h]\*  
lower measuring range limit

Impulszahl 129 [n/min]  
pulse rate

bei 9 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 03.08.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Washtronic EXACT II Typ1

PN: **280032**

OGM 010VCFPPKKEI-G1/4I-99-0820-0030

Materials of construction:

PVC, FPM, PEEK,  
ceramic, titan

Signal output: /

820 pulse/l

Max. flow rate:

30 l/h

Prod. code:

702327 / 23122/1002

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 55 [l/h]\*  
lower measuring range limit

Impulszahl 128 [n/min]  
pulse rate

bei 9 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 03.08.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Washtronic EXACT II Typ1

PN: **280032**

OGM 010VCFPPKKEI-G1/4I-99-0820-0030

Materials of construction:

PVC, FPM, PEEK,  
ceramic, titan

Signal output:

820 pulse/l

Max. flow rate:

30 l/h

Prod. code:

702327 / 231 22 / 1003

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 55 [l/h]\*  
lower measuring range limit

Impulszahl 178 [n/min]  
pulse rate

bei 9 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 03.08.22

Prüfer P 410