

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1001

**ECOLAB**  
Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 16.11.2022

Prüfer Sollereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1002

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.11.2022

Prüfer J. Lieder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1003

**ECOLAB**  
Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 2,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.11.2022

Prüfer Sollerseder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1004

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83313 Siegsdorf



Anlaufgrenze 9,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.11.2022

Prüfer Sollaseder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1005

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.11.2022

Prüfer Sollweider

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1006

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raffelsteinstrasse 7  
83313 Siegsdorf



Anlaufgrenze 9.8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1.25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.11.2022

Prüfer Sollner, J.

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1007

**ECOLAB**  
Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 16.11.2022

Prüfer Sollwacker

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1008

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83113 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.11.2022

Prüfer Sollroeder



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1009

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.11.2022

Prüfer Sollersdorfer

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001 m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1010

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.11.2022

Prüfer Sollerader

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1011

**ECOLAB**  
Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.11.2022

Prüfer S. Schneider

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1012

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 16.11.2022

Prüfer Sollweider

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1013

**ECOLAB**  
Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.11.2022

Prüfer Sollner

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1014

**ECOLAB**  
Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Reifenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.11.2022

Prüfer Sollnereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1015

**ECOLAB**  
Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.11.2022

Prüfer Sollereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1016

**ECOLAB**<sup>®</sup>  
Year of manufacture: 2022  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 16.11.2022

Prüfer Sollweider



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1017

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffersenstrasse 7  
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.11.2022

Prüfer Sollareda

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1018

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 9.8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 16.11.2022

Prüfer Söllereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1019

**ECOLAB**

Year of manufacture: 2022

Made in Germany by  
Ecolab Engineering GmbH  
Reißenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 16.11.2022

Prüfer S. Liederer

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1020

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
85313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.11.2022

Prüfer Solleroder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1021

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.11.2022

Prüfer Sallerecker

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001 m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1022

**ECOLAB**

Year of manufacture: 2022

Made in Germany by  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.11.2022

Prüfer Solleseder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/6i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
M<sub>ax.</sub> pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1023

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.11.2022

Prüfer Sollersöder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/Bi-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1024

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.11.2022

Prüfer Sollas edes



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1025

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83313 Siegsdorf



Anlaufgrenze 2,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.11.2022

Prüfer Sollerseder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1026

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21. 11. 2022

Prüfer Silleröder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1027

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21. 11. 2022

Prüfer Sollerseder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1029

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.11.2022

Prüfer Sollgeröder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280141  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF Ceramic  
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 705114 / 34522 / 1028

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21. 11. 2022

Prüfer Schneider