

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1001

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Reifelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Solleröder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1002

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raffelsteinstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 85 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1003

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 35 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1004  
**ECOLAB**  
Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1005

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1006  
**ECOLAB**  
Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Reifweissenstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 35 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4j-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1007  
**ECOLAB**  
Year of manufacture: 2022  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Solknereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VOFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1008

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollersdorf



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G 1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1009

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollerscher

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1010

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollerseder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1011

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollerseder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1012

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1013  
**ECOLAB**  
Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1014

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1015  
**ECOLAB**  
Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1016

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollereder



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1017

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfsteinstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Solleröder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1018

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 83 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollersöder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1019  
**ECOLAB**  
Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1020

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollersedler

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1021  
**ECOLAB**  
Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollegeder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1022

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollerseder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1023

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
85313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollweider

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1024  
**ECOLAB**  
Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Ralffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollereder



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1025

**ECOLAB<sup>®</sup>**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 35 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1026

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Reifweissenstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollmeseder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1027

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 260043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1028

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sallereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 706574 / 34822 / 1029

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. 11. 22

Prüfer Sollereder

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 708574 / 34822 / 1030

**ECOLAB**

Year of manufacture: 2022

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30.11.22

Prüfer Sollerseder