

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1001
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1002

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralfheisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 45

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1003

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelensstrasse 7
83313 Siedsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juni 2023

Prüfer P 424

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1004

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1005
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
85313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1006
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze _____ 6 _____ [l/h]*
lower measuring range limit

Impulszahl _____ 34 _____ [n/min]
pulse rate

bei _____ 10 _____ [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum _____ 10. Juli 2023 _____

Prüfer _____ P 421 _____

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1007
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1008
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1009

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralfleisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1010
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1011
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10 Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1012

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1013
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1014

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1015

ECOLAB*

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPK KE-G 1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1016

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1017
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1018

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1019

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1020

ECOLAB

Year of manufacture: 2023

Made In Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1021

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1022

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1023
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1024
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Rai/Felsenstrasse 7
83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. JULI 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1025

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10 Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1026
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1027

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 37 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1028

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717052 / 12723 / 1029

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Juli 2023

Prüfer P 421