

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 10240555  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FKM, PEEK, Ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722966 / 13923 / 1020  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Sep. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	10240555
Model description:	Oval gear meter PLUS 01200
OGM:	PLUS 01200VCFPPKE-G3/4i-99-0005m-P
Materials of construction:	PVC, FKM, PEEK, Ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	722966 / 13923 / 1019
<b>ECOLAB</b>	Made In Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture:	2023



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate

bei 35 [l/h]\*

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Sep. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 10240555  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FKM, PEEK, Ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722966 / 13923 / 1018  
**ECOLAB**  
Year of manufacture: 2023

Made In Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Sep. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 10240555  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FKM, PEEK, Ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722966 / 13923 / 1017  
**ECOLAB**  
Year of manufacture: 2023  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Sep. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	10240555
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
Materials of construction:	PVC, FKM, PEEK, Ceramic
Signal output (standard):	5.0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	722966 / 13923 / 1016
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Ralfelsenstrasse 7 83513 Siedsdorf
Year of manufacture: 2023	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 23. Sep. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 10240555  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FKM, PEEK, Ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722966 / 13923 / 1015

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Sep. 2023

Prüfer P 427

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 10240555  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FKM, PEEK, Ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722966 / 13923 / 1014  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83513 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 3.5 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Sep. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 10240555  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FKM, PEEK, Ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722966 / 13923 / 1013

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Sep. 2023

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 10240555  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FKM, PEEK, Ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722966 / 13923 / 1012

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Sep. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 10240555  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FKM, PEEK, Ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722966 / 13923 / 1011  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 23. Sep. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 10240555  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FKM, PEEK, Ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 7229066 / 13923 / 1010  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Sep. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 10240555  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FKM, PEEK, Ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722966 / 13923 / 1009

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Sep. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 10240555  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FKM, PEEK, Ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722966 / 13923 / 1008  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 120 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Sep. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 10240555  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FKM, PEEK, Ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722966 / 13923 / 1007

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
85313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* kontinuierlicher Durchfluss / continuous flow

Datum 29. Sep. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	10240555
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
Materials of construction:	PVC, FKM, PEEK, Ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	722966 / 13923 / 1006
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2023	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 113 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Sep. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	10240555
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
Materials of construction:	PVC, FKM, PEEK, Ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	722966 / 13923 / 1005
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Reiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2023	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Sep. 2023

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 10240555  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FKM, PEEK, Ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722966 / 13923 / 1004  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Sep. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 10240555  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FKM, PEEK, Ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722966 / 13923 / 1003

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Sep. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 10240555  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FKM, PEEK, Ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722966 / 13923 / 1002

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Sep. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 10240555  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FKM, PEEK, Ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
120 / 144 l/h (50/60Hz)  
Max. pump size: PNP  
Semiconductor junction: 722966 / 13923 / 1001  
Serial number: **ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Sep. 2023

Prüfer P 421