



# Prüfprotokoll OGM<sup>plus</sup>

|   |   |
|---|---|
| Oval gear meter PLUS 00112<br>PN: <b>280141</b>       |  |
| OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P               |   |
| materials of construction: PVC, FPM, PVDF, ceramic    |   |
| signal output (standard): 1,0 ml/pulse, 1000 pulses/l |   |
| max. pump size: 11,2 / 13,5 l/h (50/60-Hz)            |   |
| semiconductor junction: PNP                           |   |
| prod. code: 01/497822/32722/1001                      |   |
| ECOLAB Engineering GmbH<br>D-83313 Siegsdorf          |  |

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

|   |                             |   |
|---|-----------------------------|---|
| Oval gear meter PLUS 00112              |                             |  |
| PN: <b>280141</b>                       |                             |   |
| OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P |                             |   |
| materials of construction:              | PVC, FPM, PVDF, ceramic     |   |
| signal output (standard):               | 1,0 ml/pulse, 1000 pulses/l |   |
| max. pump size:                         | 11,2 / 13,5 l/h (50/60Hz)   |   |
| semiconductor junction:                 | PNP                         |   |
| prod. code:                             | 01/497822 / 32722/1002      |   |
| ECOLAB Engineering GmbH                 |                             |  |
| D-83313 Siegedorf                       |                             |   |

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate



bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

|  |                             |   |
|--|-----------------------------|---|
| Oval gear meter PLUS 00112                   |                             |  |
| PN: <b>280141</b>                            |                             |   |
| OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P      |                             |   |
| materials of construction:                   | PVC, FPM, PVDF, ceramic     |   |
| signal output (standard):                    | 1,0 ml/pulse, 1000 pulses/l |   |
| max. pump size:                              | 11,2 / 13,5 l/h (50/60Hz)   |   |
| semiconductor junction:                      | PNP                         |   |
| prod. code:                                  | 01 / 497822 / 32722 / 1003  |   |
| ECOLAB Engineering GmbH<br>D-83313 Siegsdorf |                             |  |

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

|  |                             |   |
|--|-----------------------------|---|
| Oval gear meter PLUS 00112                   |                             |  |
| PN: <b>280141</b>                            |                             |   |
| OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P      |                             |   |
| materials of construction:                   | PVC, FPM, PVDF, ceramic     |   |
| signal output (standard):                    | 1,0 ml/pulse, 1000 pulses/l |   |
| max. pump size:                              | 11,2 / 13,5 l/h (50/60Hz)   |   |
| semiconductor junction:                      | PNP                         |   |
| prod. code:                                  | 01/497822/32722/1004        |   |
| ECOLAB Engineering GmbH<br>D-83313 Siegedorf |                             |  |

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate


bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

|  |   |
|--|---|
| Oval gear meter PLUS 00112                   |   |
| PN: <b>280141</b>                            |  |
| OGM PLUS 00112VCFPPVKE-G1/8i-99-0001 m-P     |   |
| materials of construction:                   | PVC, FPM, PVDF, ceramic   |
| signal output (standard):                    | 1,0 ml/pulse, 1000 pulses/l   |
| max. pump size:                              | 11,2 / 13,5 l/h (50/60Hz)   |
| semiconductor junction:                      | PNP   |
| prod. code:                                  | 01/497822 / 32722 / 1005  |
| ECOLAB Engineering GmbH<br>D-83313 Siegsdorf |  |

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 125 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

|   |                             |
|---|-----------------------------|
| Oval gear meter PLUS 00112              |                             |
| PN: <b>280141</b>                       |                             |
| OGM PLUS 00112VCFPPVKE-G1/81-99-0001m-P |                             |
| materials of construction:              | PVC, FPM, PVDF, ceramic     |
| signal output (standard):               | 1,0 ml/pulse, 1000 pulses/l |
| max. pump size:                         | 11,2 / 13,5 l/h (50/60Hz)   |
| semiconductor junction:                 | PNP                         |
| prod. code:                             | 01/497822 / 32722 / 1008    |
| ECOLAB Engineering GmbH                 |                             |
| D-83313 Siegedorf                       |                             |

Anlaufgrenze 08 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 125 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00112

PN: **280141**

OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P

materials of construction: PVC, FPM, PVDF, ceramic

signal output (standard): 1,0 ml/pulse, 1000 pulses/l

max. pump size: 11,2 / 13,5 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/467822/32722/1007

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00112

PN: **280141**

OGM PLUS 00112VCFPPVKE-G1/8I-99-0001 m-P

materials of construction: PVC, FPM, PVDF, ceramic

signal output (standard): 1,0 ml/pulse, 1000 pulses/l

max. pump size: 11,2 / 13,5 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497822/32722/1008

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 08 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 125 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow


Datum 13.07.22

Prüfer **P 410**



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00112  
PN: **280141**




OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P

|                            |                             |
|----------------------------|-----------------------------|
| materials of construction: | PVC, FPM, PVDF, ceramic     |
| signal output (standard):  | 1,0 ml/pulse, 1000 pulses/l |
| max. pump size:            | 11,2 / 13,5 l/h (50/60Hz)   |
| semiconductor junction:    | PNP                         |
| prod. code:                | 01/497822/32722/1009        |

---

ECOLAB Engineering GmbH  
D-63313 Siegedorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate



bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

|   |   |
|---|---|
| Oval gear meter PLUS 00112  |   |
| PN: <b>280141</b>   |  |
| OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P   |   |
| materials of construction:  | PVC, FPM, PVDF, ceramic   |
| signal output (standard):   | 1,0 ml/pulse, 1000 pulses/l   |
| max. pump size:   | 11,2 / 13,5 l/h (50/60Hz)   |
| semiconductor junction:   | PNP   |
| prod. code:   | 01/497822/32722/1010  |
| ECOLAB Engineering GmbH   |   |
| D-83313 Siegedorf   |   |
|  |   |

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00112

PN: **280141**



OGM PLUS 00112VCFPPVKE-G1/6l-99-0001m-P

materials of construction: PVC, FPM, PVDF, ceramic  
signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
prod. code: 01/497822 / 32722 / 1011

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

|   |                             |
|---|-----------------------------|
| Oval gear meter PLUS 00112              |                             |
| PN: <b>280141</b>                       |                             |
| OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P |                             |
| materials of construction:              | PVC, FPM, PVDF, ceramic     |
| signal output (standard):               | 1,0 ml/pulse, 1000 pulses/l |
| max. pump size:                         | 11,2 / 13,5 l/h (50/60Hz)   |
| semiconductor junction:                 | PNP                         |
| prod. code:                             | 01/497822/32722/1012        |
| ECOLAB Engineering GmbH                 |                             |
| D-83313 Stegedorf                       |                             |

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00112

PN: **280141**

OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P

materials of construction: PVC, FPM, PVDF, ceramic

signal output (standard): 1,0 ml/pulse, 1000 pulses/l

max. pump size: 11,2 / 13,5 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497822/32722/1013

ECOLAB Engineering GmbH  
D-63313 Siegbach



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00112  
PN: **280141**   
OGM PLUS 00112VCFPPVKE-G1/6I-99-0001 m-P  
materials of construction: PVC, FPM, PVDF, ceramic  
signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
prod. code: 01/497822/32722/1014  
ECOLAB Engineering GmbH  
D-83313 Siegsdorf 

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

|  |                             |   |
|--|-----------------------------|---|
| Oval gear meter PLUS 00112                   |                             |  |
| PN: <b>280141</b>                            |                             |   |
| OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P      |                             |   |
| materials of construction:                   | PVC, FPM, PVDF, ceramic     |   |
| signal output (standard):                    | 1,0 ml/pulse, 1000 pulses/l |   |
| max. pump size:                              | 11,2 / 13,5 l/h (50/60Hz)   |   |
| semiconductor junction:                      | PNP                         |   |
| prod. code:                                  | 01/497822/32722/1015        |   |
| ECOLAB Engineering GmbH<br>D-83313 Siegedorf |                             |  |

Anlaufgrenze 08 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

|  |   |
|--|---|
| Oval gear meter PLUS 00112                   |  |
| PN: <b>280141</b>                            |   |
| OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P      |   |
| materials of construction:                   | PVC, FPM, PVDF, ceramic   |
| signal output (standard):                    | 1,0 ml/pulse, 1000 pulses/l   |
| max. pump size:                              | 11,2 / 13,5 l/h (50/60Hz)   |
| semiconductor junction:                      | PNP   |
| prod. code:                                  | 01/497822/32722/1016  |
| ECOLAB Engineering GmbH<br>D-83313 Siegsdorf |  |

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00112  
PN: **280141**   
OGM PLUS 00112VCFPPVKE-G1/81-99-0001m-P  
materials of construction: PVC, FPM, PVDF, ceramic  
signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
prod. code: 01/497822 / 32722 / 1017  
ECOLAB Engineering GmbH  
D-83313 Siegedorf 

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00112

PN: **280141**

OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

materials of construction: PVC, FPM, PVDF, ceramic

signal output (standard): 1,0 ml/pulse, 1000 pulses/l

max. pump size: 11,2 / 13,5 l/h (50/60Hz)

semiconductor junction: PNP

prod. code:

01/497822 / 32722 / 1018

ECOLAB Engineering GmbH  
D-83313 Siegedorf

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate



bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

|  |                             |   |
|--|-----------------------------|---|
| Oval gear meter PLUS 00112                   |                             |  |
| PN: <b>280141</b>                            |                             |   |
| OGM PLUS 00112VCFPPVKE-G1/6l-99-0001m-P      |                             |   |
| materials of construction:                   | PVC, FPM, PVDF, ceramic     |   |
| signal output (standard):                    | 1,0 ml/pulse, 1000 pulses/l |   |
| max. pump size:                              | 11,2 / 13,5 l/h (50/60-Hz)  |   |
| semiconductor junction:                      | PNP                         |   |
| prod. code:                                  | 01/497822/32722/1019        |   |
| ECOLAB Engineering GmbH<br>D-83313 Siegsdorf |                             |  |

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00112  
PN: **280141**  
OGM PLUS 00112VCFPPVKE-G1/81-99-0001m-P  
materials of construction: PVC, FPM, PVDF, ceramic  
signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
prod. code: 01/497822 / 32722 / 1020

ECOLAB Engineering GmbH  
D-83313 Siegedorf

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate


bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>


Oval gear meter PLUS 00112 

PN: **280141**

OGM PLUS 00112VCFPPVKE-G1/8I-99-0001 m-P

|                            |                             |
|----------------------------|-----------------------------|
| materials of construction: | PVC, FPM, PVDF, ceramic     |
| signal output (standard):  | 1,0 ml/pulse, 1000 pulses/l |
| max. pump size:            | 11,2 / 13,5 l/h (50/60Hz)   |
| semiconductor junction:    | PNP                         |
| prod. code:                | 01/497822/92722/1021        |

---

ECOLAB Engineering GmbH   
D-83313 Siegsdorf

Anlaufgrenze 08 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer P\_410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00112

PN: **280141**

OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

materials of construction: PVC, FPM, PVDF, ceramic

signal output (standard): 1,0 ml/pulse, 1000 pulses/l

max. pump size: 11,2 / 13,5 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/467822/32722/1022

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer P\_410

# Prüfprotokoll OGM<sup>plus</sup>

|  |                             |   |
|--|-----------------------------|---|
| Oval gear meter PLUS 00112                   |                             |  |
| PN: <b>280141</b>                            |                             |   |
| OGM PLUS 00112VCFPPVKE-G1/81-99-0001m-P      |                             |   |
| materials of construction:                   | PVC, FPM, PVDF, ceramic     |   |
| signal output (standard):                    | 1,0 ml/pulse, 1000 pulses/l |   |
| max. pump size:                              | 11,2 / 13,5 l/h (50/60Hz)   |   |
| semiconductor junction:                      | PNP                         |   |
| prod. code:                                  | 01/497822 / 32722 / 1023    |   |
| ECOLAB Engineering GmbH<br>D-83313 Siegedorf |                             |  |

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00112

PN: **280141**

OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P

materials of construction: PVC, FPM, PVDF, ceramic

signal output (standard): 1,0 ml/pulse, 1000 pulses/l

max. pump size: 11,2 / 13,5 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497822 / 32722 / 1024

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer **P 410**



# Prüfprotokoll OGM<sup>plus</sup>

|  |                             |   |
|--|-----------------------------|---|
| Oval gear meter PLUS 00112                   |                             |  |
| PN: <b>280141</b>                            |                             |   |
| OGM PLUS 00112VCFPPVKE-G1/8l-99-0001m-P      |                             |   |
| materials of construction:                   | PVC, FPM, PVDF, ceramic     |   |
| signal output (standard):                    | 1,0 ml/pulse, 1000 pulses/l |   |
| max. pump size:                              | 11,2 / 13,5 l/h (50/60-Hz)  |   |
| semiconductor junction:                      | PNP                         |   |
| prod. code:                                  | 01/497822 / 32722 / 1025    |   |
| ECOLAB Engineering GmbH<br>D-83313 Siegedorf |                             |  |

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate



bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer P\_410

# Prüfprotokoll OGM<sup>plus</sup>

|  |                             |   |
|--|-----------------------------|---|
| Oval gear meter PLUS 00112                   |                             |  |
| PN: <b>280141</b>                            |                             |   |
| OGM PLUS 00112VCFPPVKE-G1/81-99-0001m-P      |                             |   |
| materials of construction:                   | PVC, FPM, PVDF, ceramic     |   |
| signal output (standard):                    | 1,0 ml/pulse, 1000 pulses/l |   |
| max. pump size:                              | 11,2 / 13,5 l/h (50/60Hz)   |   |
| semiconductor junction:                      | PNP                         |   |
| prod. code:                                  | 01/497822/32722/1026        |   |
| ECOLAB Engineering GmbH<br>D-83313 Siegedorf |                             |  |

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00112

PN: **280141**

OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P

materials of construction: PVC, FPM, PVDF, ceramic

signal output (standard): 1,0 ml/pulse, 1000 pulses/l

max. pump size: 11,2 / 13,5 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497822/32722/1027

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 22 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00112

PN: **280141**



OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P

materials of construction: PVC, FPM, PVDF, ceramic  
signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
prod. code: 01/497822/92722/1028

ECOLAB Engineering GmbH  
D-63313 Siegedorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

|  |                             |   |
|--|-----------------------------|---|
| Oval gear meter PLUS 00112                   |                             |  |
| PN: <b>280141</b>                            |                             |   |
| OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P      |                             |   |
| materials of construction:                   | PVC, FPM, PVDF, ceramic     |   |
| signal output (standard):                    | 1,0 ml/pulse, 1000 pulses/l |   |
| max. pump size:                              | 11,2 / 13,5 l/h (50/60Hz)   |   |
| semiconductor junction:                      | PNP                         |   |
| prod. code:                                  | 01/407822 / 32722 / 1020    |   |
| ECOLAB Engineering GmbH<br>D-83313 Siegedorf |                             |  |

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00112  
PN: **280141**  
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001 m-P  
materials of construction: PVC, FPM, PVDF, ceramic  
signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
prod. code: 01/497822 / 32722 / 1030

ECOLAB Engineering GmbH  
D-83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 125 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00112

PN: **280141**

OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

materials of construction: PVC, FPM, PVDF, ceramic

signal output (standard): 1,0 ml/pulse, 1000 pulses/l

max. pump size: 11,2 / 13,5 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497822/32722/1031

ECOLAB Engineering GmbH  
D-83313 Stegedorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00112

PN: **280141**

OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P

|                            |                             |
|----------------------------|-----------------------------|
| materials of construction: | PVC, FPM, PVDF, ceramic     |
| signal output (standard):  | 1,0 ml/pulse, 1000 pulses/l |
| max. pump size:            | 11,2 / 13,5 l/h (50/60Hz)   |
| semiconductor junction:    | PNP                         |
| prod. code:                | 01/497822 / 32722 / 1032    |

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 13.07.22

Prüfer P 410