

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280073**

OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/704935/13822/1001

ECOLAB Engineering GmbH
D-83313 Stegast



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate



bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540		
PN: 280073		
OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, EPDM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 85 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01 / 704835 / 13822 / 1002	
ECOLAB Engineering GmbH D-83313 Siegsdorf		

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate



bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540		
PN: 280073		
OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, EPDM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 65 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01/704935/13822/1003	
ECOLAB Engineering GmbH D-83313 Slegsdorf		

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540		
PN: 280073		
OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, EPDM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 85 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01/704935/13822/1004	
ECOLAB Engineering GmbH D-83313 Siegsdorf		

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **260073**

OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/704935/13822/1005

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280073**

OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/704935/13822/1006

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 37 [n/min]
pulse rate


bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540		
PN: 280073		
OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, EPDM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 65 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01/704935/13822/1007	
ECOLAB Engineering GmbH D-83313 Siegsdorf		

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280073**



OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/704935/13822/1008

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280073**

OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/704935/13822/1009

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280073**



OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60-Hz)

semiconductor junction: PNP

prod. code: 01/704935/13822/1010

ECOLAB Engineering GmbH
D-83113 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.22

Prüfer P 410