

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1001

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralfteisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1002
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1003

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1004
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
85313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPK KE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1005

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1006

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1007

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1008

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1009

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1010

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1011

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1012
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 3.3 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1013

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83513 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1014

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstrasse
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1015

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1016

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1017

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1018

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1019

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1020

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1021
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1022
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
85313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1023
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1024
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1025

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1026

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1027

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1028

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raißelsteinstraße 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1029

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 720792 / 23023 / 1030

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3