

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1029  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60-Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1028  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1027  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1026

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Ralf-Felsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/41-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1025  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1024

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffaisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 42.

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE.G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1023  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1022  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Reifelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1021

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1020

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 10 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 6 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1019  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 10 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 6 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1018  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 10 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 6 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 03. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1017  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 10 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 6 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1016  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 10 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 6 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1015  
**ECOLAB**  
Year of manufacture: 2023  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 10 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 6 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1014  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstraße 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1013

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
85313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1012

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
63313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1011  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffaissenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1010  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 424

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1009

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1008  
**ECOLAB**  
Year of manufacture: 2023  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1007  
**ECOLAB**  
Year of manufacture: 2023  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1006  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1005  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1004  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1003

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1002  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 9  
83113 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 260043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 722219 / 43923 / 1001

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Okt. 2023

Prüfer P 421