

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1020

ECOLAB[®]

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1019

ECOLAB[®]
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023


Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280073
Model description:	Oval gear meter PLUS 00540
	OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction:	PVC, EPDM, PEEK, ceramic
Signal output (standard):	5.0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	723480 / 43923 / 1018

ECOLAB[®] Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Year of manufacture: 2023



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023

Prüfer P 42

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1017

ECOLAB[®]
Year of manufacture: 2023

Made In Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1016

ECOLAB[®] Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1015

ECOLAB[®]

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1014

ECOLAB[®]
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1013

ECOLAB[®]
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1012
ECOLAB[®] Made in Germany by:
Ecolab Engineering GmbH
Ralfhelsenstrasse 7
Year of manufacture: 2023 83313 Siegsdorf 

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1011

ECOLAB[®]

Made In Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Slegsdorf



Year of manufacture: 2023

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1010

ECOLAB[®]

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1009

ECOLAB[®]
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1008
ECOLAB[®]
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1007

ECOLAB[®]

Made In Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

04. Okt. 2023

Datum _____

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1006

ECOLAB[®]

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1005

ECOLAB[®]

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1004
ECOLAB[®]
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1003
ECOLAB[®] Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
Year of manufacture: 2023 83313 Siegsdorf 

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1002

ECOLAB[®]

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siedsdorf



Year of manufacture: 2023

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 723480 / 43923 / 1001

ECOLAB[®]

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Okt. 2023

Prüfer P 421