

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1030

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1029

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1028

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfwiesenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 85 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1027

**ECOLAB**

Year of manufacture: 2023

Made in Germany by  
Ecolab Engineering GmbH  
Raiffeisenstrasse  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1026  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P. 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1025  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1024  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1023

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1022  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1021  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 42

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1020  
Year of manufacture: 2023

**ECOLAB**

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1019  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1018  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 7.1. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1017  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer R

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1016  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse  
33313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.06.2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1015  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540/CFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1014

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse /  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1013  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siemsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1012  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83513 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1011  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raifelsenstrasse  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1010  
**ECOLAB**  
Year of manufacture: 2023  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724106 / 33923 / 1009

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Reifelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1008  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 39 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1007

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1006  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1005

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83319 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1004  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G 1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1003  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 20 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1002

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Ratfeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 724108 / 33923 / 1001  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Okt. 2023

Prüfer P 421