

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1001  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1002

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1003  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate  
bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1004  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1005

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1006  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1007

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1008

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raifelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1009

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffaisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1010

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1011

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfwalsenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1012  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1013  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1014  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1015

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Reifelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 \_\_\_\_\_ [l/h]\*  
lower measuring range limit

Impulszahl 33 \_\_\_\_\_ [n/min]  
pulse rate

bei 10 \_\_\_\_\_ [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24 \_\_\_\_\_

Prüfer P3 \_\_\_\_\_

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1016

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Railfeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1017

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1018  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsestrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1019  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1020

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1021

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1022  
**ECOLAB**  
Year of manufacture: 2024  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1023

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1024  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.2.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1025

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsensstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1026  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/41-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1027  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1028

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsensstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1029

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
63313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/41-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1030  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1031

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/41-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1032

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1033  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfteisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1034

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/41-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1035  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelensstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4j-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1036  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1037

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1038

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Reifelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1039  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1040  
**ECOLAB**  
Year of manufacture: 2024

Made In Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1041  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1042

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse  
83313 Slegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1043

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1044  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1045  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstraße  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1046

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/41-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1047

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G 1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1048

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Rathausstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1049

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1050  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1051  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1052  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1053

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1054

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffaisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1055

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 \_\_\_\_\_ [l/h]\*  
lower measuring range limit

Impulszahl 32 \_\_\_\_\_ [n/min]  
pulse rate

bei 10 \_\_\_\_\_ [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24 \_\_\_\_\_

Prüfer P3 \_\_\_\_\_

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1056  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Häufelstraße 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1057

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1058  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 \_\_\_\_\_ [l/h]\*  
lower measuring range limit

Impulszahl 32 \_\_\_\_\_ [n/min]  
pulse rate

bei 10 \_\_\_\_\_ [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24 \_\_\_\_\_

Prüfer P3 \_\_\_\_\_

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1059

**ECOLAB**

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelensirasse 7  
83313 Siegsdorf



Year of manufacture: 2024

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.2.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1060

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1061  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisanstrasse 7  
83133 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1062  
**ECOLAB**  
Year of manufacture: 2024

Made In Germany by:  
Ecolab Engineering GmbH  
Häufelsstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1063  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1064  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raifelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1065

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-00-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1066

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffaisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1067

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 15.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1068

**ECOLAB**

Made in Germany by:  
Ecolab Engineering GmbH  
Ralf-Heisenstrasse 7  
83113 Siegsdorf



Year of manufacture: 2024

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1069

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate  
bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/41-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1070

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raifelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1071  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/41-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1072  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1073

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1074

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1075

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1076  
**ECOLAB**  
Year of manufacture: 2024  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
63313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1077

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1078

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G 1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1079  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1080

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raifalsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1081  
**ECOLAB**  
Year of manufacture: 2024  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate  
bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1082

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1083  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse /  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1084

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse /  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1085

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1086  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Häufelstraße 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1087  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/41-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1088

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1089  
**ECOLAB**  
Year of manufacture: 2024

Made In Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 729843 / 1724 / 1090

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 14.02.24

Prüfer P3