

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P  
**W31262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1040

**ECOLAB**  
Year of manufacture 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8I-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1039

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
63313 Siegborn



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

**W3T262906**

Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.98 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729976 / 3624 / 1038

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 52 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729976 / 3624 / 1037

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.98 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1036

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 52 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 728876 / 3624 / 1035

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by  
Ecolab Engineering GmbH  
Raffaenbergstr. 1  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/6i-99-2600p-P

## W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3824 / 1034

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 51 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

## W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1033

**ECOLAB**  
Year of manufacture 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1032  
**ECOLAB**  
Year of manufacture: 2024  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729878 / 3624 / 1031

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raffelersstraße 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/6i-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1030

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 51 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

**W3T262906**

Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1029

**ECOLAB**  
Year of manufacture 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 51 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1028

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/6i-99-2600p-P

**W3T262906**

Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.36 ml/pulse, 2800 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1027

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
63113 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 51 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1026

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

## W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1025

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8I-99-2600p-P  
W3T262906  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1024

**ECOLAB**  
Year of manufacture 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFFPVKE-G1/8i-99-2600p-P

## W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1023

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 51 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1022

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 52 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

**W3T262906**

Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
11.2 / 13.5 l/h (50/60 Hz)  
Max. pump size  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1021

**ECOLAB**  
Year of manufacture 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/6i-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1020

**ECOLAB**  
Year of manufacture 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelensstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 51 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

## W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1019

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 52 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

## W3T262906

Materials of construction: PVC, FKM, HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1018

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raffelbergstrasse 7  
63313 Siegbach



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 51 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8l-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.39 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1017

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

**W3T262906**

Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729878 / 3624 / 1016

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM, HF, PVDF, Ceramic  
Signal output (standard): 0.99 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1015

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
53313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

## W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1014

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 51 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2800p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.98 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729878 / 3624 / 1013

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 52 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

## W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1012

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 52 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFFPVKE-G1/8i-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3824 / 1011  
**ECOLAB**  
Year of manufacture: 2024  
Made in Germany by:  
Ecolab Engineering GmbH  
Raffesstrasse 7  
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 51 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1010

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83513 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 52 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.98 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1009

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
63113 Siegesdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729976 / 3624 / 1008

**ECOLAB**  
Year of manufacture 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFFPVKE-G1/8i-99-2600p-P

## W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
11.2 / 13.5 l/h (50/60 Hz)  
Max. pump size: PNP  
Semiconductor junction: 729876 / 3624 / 1007  
Serial number:

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8I-99-2600p-P

**W3T262906**

Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1006

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1005

**ECOLAB**  
Year of manufacture 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P  
**W3T262006**  
Materials of construction: PVC, FKM HF, PVDF Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3824 / 1004

**ECOLAB**  
Year of manufacture 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ratfenstraße 7  
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 51 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCPPVKE-G1/BI-99-2600p-P

**W3T262906**

Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1003

**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM HF, PVDF, Ceramic  
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l  
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1002

**ECOLAB**  
Year of manufacture 2024

Made in Germany by  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280162  
Model description: Oval Gear Meter PLUS 00112  
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P  
**W3T262906**  
Materials of construction: PVC, FKM, HF, PVDF, Ceramic  
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60 Hz)  
Semiconductor junction: PNP  
Serial number: 729876 / 3624 / 1001  
**ECOLAB**  
Year of manufacture: 2024  
Made in Germany by:  
Ecolab Engineering GmbH  
Raffelsteinstrasse 7  
65313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 12.02.24

Prüfer P3