

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: 280044

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (60/80Hz)

semiconductor junction: PNP

prod. code: 01 / 484131 / 81 822 / 1001

ECOLAB Engineering GmbH

D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 55 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 494131 / 51 622 / 1002

ECOLAB Engineering GmbH

D-83313 Stegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 60 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: 200044

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10.0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 51 622/1003

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 56 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

material: of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 51 022 / 1004

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 57 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic  
signal output (standard): 10,0 ml/pulse, 100 pulses/l  
max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
prod. code: 01/494131 / 51 622 / 1005

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 55 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: 280044

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 91 622 / 1008

ECOLAB Engineering GmbH

D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 50 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10.0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60-Hz)

semiconductor junction: PNP

prod. code: 01/494131/51 622/1007

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 55 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: 250044

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 51 622 / 1008

ECOLAB Engineering GmbH

D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 58 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.06.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: 280044

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/484131 / 51022 / 1009

ECOLAB Engineering GmbH  
D-83133 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 58 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: 280044

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131/51 622/1010

ECOLAB Engineering GmbH

D-83313 Slegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 60 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic  
signal output (standard): 10,0 ml/pulse, 100 pulses/l  
max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
prod. code: 01/484181/51822/1011

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 56 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: 280044

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 51622 / 1012

ECOLAB Engineering GmbH

D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 55 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/484131 / 51822 / 1013

ECOLAB Engineering GmbH  
D-83313 Siegenhof



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 57 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494181 / 31 622 / 1014

ECOLAB Engineering GmbH  
D-53313 Siesdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 58 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 51 022 / 1015

ECOLAB Engineering GmbH

D-83313 Siegenhof



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 56 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **250044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic  
signal output (standard): 10,0 ml/pulse, 100 pulses/l  
max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
prod. code: 01/404131/51022/1016

ECOLAB Engineering GmbH  
D-63313 Stegendorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 57 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10.0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (60/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 51 622 / 1017

ECOLAB Engineering GmbH

D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 55 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 51022 / 1018

ECOLAB Engineering GmbH

D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 57 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: 200044

OGM PLUS 01200VCFFPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 51 022 / 1019

ECOLAB Engineering GmbH

D-63313 Siegenhof



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 57 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (60/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 51022 / 1020

ECOLAB Engineering GmbH

D-93313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 54 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: 280044



OGM PLUS 01200VCFPPKKE-G3/4I-00-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10.0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 51 622 / 1021

ECOLAB Engineering GmbH

D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 55 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10.0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131/51 522/1022

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 58 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: 280044



OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10.0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 51 622 / 1023

ECOLAB Engineering GmbH

D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 58 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (60/60Hz)

semiconductor junction: PNP

prod. code: 01/494131/51622/1024

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 60 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 51 622 / 1025

ECOLAB Engineering GmbH

D-93313 Regensburg



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 58 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: 250044



OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10.0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 51 622 / 1026

ECOLAB Engineering GmbH

D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 58 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131/81822/1027

ECOLAB Engineering GmbH

D-53313 Slegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 61 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **200044**

OGM PLUS 01200VCFPPKKE-G3/4I-00-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 404131 / 51 022 / 1028

ECOLAB Engineering GmbH

D-83313 Siegenhof



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 58 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 01022 / 1029

ECOLAB Engineering GmbH

D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 58 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.06.22

Prüfer **P 410**



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: 280044

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131/51 822/1030

ECOLAB Engineering GmbH

D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 60 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / B1 622 / 1031

ECOLAB Engineering GmbH

D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 56 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-00-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/404131 / 51 822 / 1032

ECOLAB Engineering GmbH

D-83313 Slegendorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 57 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 51022 / 1033

ECOLAB Engineering GmbH

D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 54 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 51 622 / 1034

ECOLAB Engineering GmbH

D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 60 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **290044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (60/60Hz)

semiconductor junction: PNP

prod. code: 01 / 494131 / 51 622 / 1035

ECOLAB Engineering GmbH

D-63213 Sieglar



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 58 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131/51 622/1036

ECOLAB Engineering GmbH

D-93313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 59 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.06.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 51 922 / 1037

ECOLAB Engineering GmbH

D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 58 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **260044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / S1 622 / 1038

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 59 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 494131 / 81 822 / 1039

ECOLAB Engineering GmbH

D-83213 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 59 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131/51 622/1040

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 59 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280044**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/494131 / 51 822 / 1041

ECOLAB Engineering GmbH

D-83313 Slegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 59 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 25.04.22

Prüfer **P 410**