

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497828/52722/1001

ECOLAB Engineering GmbH

D-83313 Slegsdorf

Made In Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 119 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497826/527 22 /1002

ECOLAB Engineering GmbH
D-83313 Slegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497826/527 22/1003

ECOLAB Engineering GmbH
D-83313 Siegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497826 / 527 22 / 1004

ECOLAB Engineering GmbH
D-93313 Siegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 117 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497826 / 527 22 / 1005

ECOLAB Engineering GmbH
D-83313 Siegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 113 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: 10240555



OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497826/527 22 /1006

ECOLAB Engineering GmbH
D-83313 Siedsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: 10240555



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497826/527 22 /1007

ECOLAB Engineering GmbH

D-83313 Siegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 119 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: 10240555



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497826/527 22/1008

ECOLAB Engineering GmbH
D-83313 Slegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497826 / 527 22 / 1009

ECOLAB Engineering GmbH
D-83313 Siegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 117 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497828 / 527 22 / 1010

ECOLAB Engineering GmbH

D-83313 Siegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic
signal output (standard): 5,0 ml/pulse, 200 pulses/l
max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Year/Prod. code: 2022 / 497828 / 527 22 / 1011

ECOLAB Engineering GmbH
D-83313 Siegsdorf
Made In Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 012u0VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497826 / 527 22 / 1012

ECOLAB Engineering GmbH
D-63313 Siegedorf



Made in Germany

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 113 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497828/527 22 /1013

ECOLAB Engineering GmbH
D-83313 Siegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 108 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497826/527 22/1014

ECOLAB Engineering GmbH
D-83313 Siegedorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 109 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497826 / 527 22 / 1015

ECOLAB Engineering GmbH
D-83313 Siegedorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 111 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497826/52722/1016

ECOLAB Engineering GmbH
D-93313 Slegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497926/527 22/1017

ECOLAB Engineering GmbH
D-83313 Siegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 113 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497826 / 527 22 / 1018

ECCLAB Engineering GmbH
D-83313 Stegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 113 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: 10240555



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497826 / 527 22 / 1019

ECOLAB Engineering GmbH

D-83313 Stegedorf

Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497828 / 527 22 / 1020

ECOLAB Engineering GmbH

D-83313 Siegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497828 / 527 22 / 1021

ECOLAB Engineering GmbH
D-83313 Siedsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 109 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497828 / 527 22 / 1022

ECOLAB Engineering GmbH
D-83313 Siegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: 10240555



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497826 / 527 22 / 1023

ECOLAB Engineering GmbH
D-83313 Slegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497826 / 527 22 / 1024

ECOLAB Engineering GmbH
D-83313 Siegsdorf
Made in Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.07.22

Prüfer P 410