

Prüfprotokoll OGM^{plus}

Washtronic EXACT II Typ 2

PN: **280030**

OGM 020VCFPPKKEI-G1/4I-99-0450-0060

Materials of construction:

PVC, FPM, PEEK,
ceramic, titan

Signal output:

450 pulse/l

Max. flow rate:

60 l/h

Prod. code:

702960 / 23322 / 1001

ECOLAB Engineering GmbH

D-83313 Siegedorf



Anlaufgrenze 11 [l/h]*
lower measuring range limit

Impulszahl 132 [n/min]
pulse rate

bei 18 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.08.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Washtronic EXACT II Typ 2

PN: 280030

OGM 020VCFPPKKEI-G1/4I-99-0450-0060

Materials of construction:

PVC, FPM, PEEK,

ceramic, titan

Signal output:

450 pulse/l

Max. flow rate:

60 l/h

Prod. code:

702960 / 23322 / 1002

ECOLAB Engineering GmbH

D-83313 Siegsdorf



Anlaufgrenze 11 [l/h]*
lower measuring range limit

Impulszahl 131 [n/min]
pulse rate

bei 18 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.08.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Washtronic EXACT II Typ 2

PN: **280030**

OGM 020VCFPPKKEI-G1/4I-99-0450-0060

Materials of construction:

PVC, FPM, PEEK,

ceramic, titan

Signal output:

450 pulse/l

Max. flow rate:

60 l/h

Prod. code:

702960 / 23322 / 1003

ECOLAB Engineering GmbH

D-83313 Siegedorf



Anlaufgrenze 11 [l/h]*
lower measuring range limit

Impulszahl 135 [n/min]
pulse rate

bei 18 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.08.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Washtronic EXACT II Typ 2		
PN: 280030		
OGM 020VCFFPKKETI-G1/4I-99-0450-0060		
Materials of construction:	PVC, FPM, PEEK, ceramic, titan	
Signal output:	450 pulse/l	
Max. flow rate:	60 l/h	
Prod. code:	702960 / 23322 / 1004	
ECOLAB Engineering GmbH D-83313 Siegsdorf		

Anlaufgrenze 11 [l/h]*
lower measuring range limit

Impulszahl 131 [n/min]
pulse rate


bei 18 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.08.22

Prüfer P_410

Prüfprotokoll OGM^{plus}

Washtronic EXACT II Typ 2		
PN: 280030		
OGM 020VCFPKKEI-G1/4I-99-0450-0060		
Materials of construction:		PVC, FPM, PEEK, ceramic, titan
Signal output:		450 pulse/l
Max. flow rate:		60 l/h
Prod. code:		702960 / 233 22 / 1005
ECOLAB Engineering GmbH D-83313 Siegsdorf		

Anlaufgrenze 11 [l/h]*
lower measuring range limit

Impulszahl 135 [n/min]
pulse rate


bei 18 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.08.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Washtronic EXACT II Typ 2		
PN: 280030		
OGM 020VCFPPKKEI-G1/4I-99-0450-0060		
Materials of construction:	PVC, FPM, PEEK, ceramic, titan	
Signal output:	450 pulse/l	
Max. flow rate:	60 l/h	
Prod. code:	702960 / 23322 / 1006	
ECOLAB Engineering GmbH D-83313 Siegedorf		

Anlaufgrenze 11 [l/h]*
lower measuring range limit

Impulszahl 129 [n/min]
pulse rate


bei 18 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.08.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Washtronic EXACT II Typ 2		
PN: 280030		
OGM 020VCFPPKKE TI-G1/4I-99-0450-0060		
Materials of construction:	PVC, FPM, PEEK, ceramic, titan	
Signal output:	450 pulse/l	
Max. flow rate:	60 l/h	
Prod. code:	702960 / 23322 / 1007	
ECOLAB Engineering GmbH D-83313 Siegedorf		

Anlaufgrenze 11 [l/h]*
lower measuring range limit

Impulszahl 136 [n/min]
pulse rate

bei 18 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.08.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Washtronic EXACT II Typ 2		
PN: 280030		
OGM 020VCFPPKKE TI-G1/4I-99-0450-0060		
Materials of construction:	PVC, FPM, PEEK, ceramic, titan	
Signal output:	450 pulse/l	
Max. flow rate:	60 l/h	
Prod. code:	702960 / 233 22 / 1008	
ECOLAB Engineering GmbH D-83313 Slegsdorf		

Anlaufgrenze 11 [l/h]*
lower measuring range limit

Impulszahl 132 [n/min]
pulse rate

bei 18 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.08.22

Prüfer **P 410**