


Prüfprotokoll OGM^{plus}

Oval gear meter type 0.1
PN: 280001
OGM 001VCFPKKEI-G1/8i-99-2600-0003
Materials of construction: PVC, FPM, PEEK, ceramic, titan
Signal output: 2600 pulse/l
Max. flow rate: 3 l/h
Prod. code: 706127 / 54422 / 1001
ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at


* = kontinuierlicher Durchfluss / continuous flow

Datum 9.11.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Oval gear meter type 0.1
PN: 280001
OGM 001VCFPPKKEI-G1/8i-99-2600-0003
Materials of construction: PVC, FPM, PEEK, ceramic, titan
Signal output: 2800 pulse/l
Max. flow rate: 3 l/h
Prod. code: 706127 / 544 22 / 1002
ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 08 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate


bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 9.11.2022

Prüfer Sollweide

Prüfprotokoll OGM^{plus}

Oval gear meter type 0.1	
PN: 280001	
OGM 001VCFPPKETI-G1/8i-99-2600-0003	
Materials of construction:	PVC, FPM, PEEK, ceramic, titan
Signal output:	2600 pulse/l
Max. flow rate:	3 l/h
Prod. code:	706127 / 54422 / 1003
ECOLAB Engineering GmbH D-83313 Siegsdorf	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate


bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 9.11.2022

Prüfer Schneider

Prüfprotokoll OGM^{plus}

Oval gear meter type 0.1	
PN: 280001	
OGM 001VCFPPKKEI-G1/8i-99-2600-0003	
Materials of construction:	PVC, FPM, PEEK, ceramic, titan
Signal output:	2600 pulse/l
Max. flow rate:	3 l/h
Prod. code:	706127 / 544 22 / 1004
ECOLAB Engineering GmbH D-83313 Siegedorf	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09.11.2022

Prüfer Sollerseder