

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1053

ECOLAB
Year of manufacture: 2023

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 080 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712484 / 41123 / 1052

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegenhof



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1051

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P3911

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/81-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1050

ECOLAB
Year of manufacture: 2023

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstraße 7
63313 Siegsdorf



Anlaufgrenze 0.80 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.03.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1049

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0.80 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/6i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1048

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83113 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P394

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM, HF, PVDF, Ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1047

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
89313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P3911

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1046

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0.80 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/81-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
11.2 / 13.5 l/h (50/60 Hz)
Max. pump size: PNP
Semiconductor junction: 712464 / 41123 / 1045
Serial number:

ECOLAB
Year of manufacture: 2023

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0.80 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-F
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1044

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
11.2 / 13.5 l/h (50/60 Hz)
Max. pump size: PNP
Semiconductor junction: 712464 / 41123 / 1043
Serial number:

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reifenstrasse 7
63313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
11.2 / 13.5 l/h (50/60 Hz)
Max. pump size: PNP
Semiconductor junction: 712464 / 41123 / 1042
Serial number:

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reiffenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer RB91

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.98 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1041

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
85313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
11.2 / 13.5 l/h (50/60 Hz)
Max. pump size: PNP
Semiconductor junction: 712464 / 41123 / 1040
Serial number:

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83113 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0,98 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1039

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1038

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 980 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1037

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
63313 Siegborn



Anlaufgrenze 0.80 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/81-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1036

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1035

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83513 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1034

ECOLAB
Year of manufacture: 2023

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCPPVKE-G1/8i-99-2600p-P

W3T262906

Material's of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.98 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1033

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0,98 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1032

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reiffersandstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.03.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCPPVKE-G1/8I-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1031



Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reifensteinst. 355
63313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.03.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1030

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raffelersmühlasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.03.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G 1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712484 / 41123 / 1029

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1028

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
63313 Siegsdorf



Anlaufgrenze 0.80 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1027

ECOLAB

Year of manufacture: 2023

Made in Germany by
Ecolab Engineering GmbH
Raiffisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712484 / 41123 / 1026

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstr. 45a 7
63313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1025

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0.80 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/81-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1024

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer RB91

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.36 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1023

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P39.1

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1022

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 980 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G 1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1021

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
85313 Siegsdorf



Anlaufgrenze 0.80 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCPPVKE-G1/81-99-2600p-P
W3T262006
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1020

ECOLAB
Year of manufacture: 2023

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1019

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.98 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712484 / 41123 / 1018

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0.80 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712484 / 41123 / 1017

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Haffensmühlasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
11.2 / 13.5 l/h (50/60 Hz)
Max. pump size: PNP
Semiconductor junction: 712464 / 41123 / 1016
Serial number:

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P304

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1015

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83513 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1014

ECOLAB
Year of manufacture: 2023

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.88 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712484 / 41123 / 1013

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1012

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W31262906

Materials of construction: PVC, FKM HF, PVDF Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712484 / 41123 / 1011

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1010

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262806

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1009

ECOLAB
Year of manufacture: 2023

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2800p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2800 pulses/l
11.2 / 13.5 l/h (50/60 Hz)
Max. pump size: PNP
Semiconductor junction: 712464 / 41123 / 1003
Serial number:

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1007

ECOLAB
Year of manufacture: 2023

Made in Germany by
Ecolab Engineering GmbH
Raiffersstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P3011

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.36 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1006

ECOLAB

Year of manufacture: 2023

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1005

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/81-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0,98 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712484 / 41123 / 1004

ECOLAB
Year of manufacture: 2023

Made in Germany by
Ecolab Engineering GmbH
Reifenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1003

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1002

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0.80 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM, HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 712464 / 41123 / 1001

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 080 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.3.2023

Prüfer R391