

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1040

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Slegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1039
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023/ 1038
ECOLAB
Year of manufacture: 2023

Made In Germany by:
Ecolab Engineering GmbH
Raiffaisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 23 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1037
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1036
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 9
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1035
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1034
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
85513 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8J-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1033
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1032
Year of manufacture: 2023

ECOLAB

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1031

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1030
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/81-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1029
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1028
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/81-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1027
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralf Feisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 260151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1026
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1025
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/BI-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1024
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedgsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P301

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1023

ECOLAB

Year of manufacture: 2023

Made In Germany by:
Ecolab Engineering GmbH
Ralf-Weisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1022
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1021
ECOLAB
Year of manufacture: 2023

Made In Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8I-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1020
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1019

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reißeisenstrasse 7
85313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1018
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1017
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1016
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1015
Year of manufacture: 2023

ECOLAB

Made In Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1014
Year of manufacture: 2023

ECOLAB

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8I-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1013
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 10 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.3.2023

Prüfer P392

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1012
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reifenstrasse
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.3.2023

Prüfer R39U

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8I-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1011
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reifweissenstrasse 7
83313 Siedsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1010
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1009
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G 1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1008
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1007
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 23 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1006
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1005

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralf Feisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1004
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1003

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1002
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 23 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.3.2023

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 712024 / 41023 / 1001
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.3.2023

Prüfer P391