

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 719459 / 42623 / 1001

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl \_\_\_\_\_ [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 719459 / 42623 / 1002

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/βi-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 719459 / 42623 / 1003  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/81-99-0001 m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	719459 / 42623 / 1004
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Ralfelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2023	

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 719459 / 42623 / 1005  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 22 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 719459 / 42623 / 1006

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P 401

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 719459 / 42623 / 1007  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	719459 / 42623 / 1008
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Reifelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2023	

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	719459 / 42623 / 1009
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 83313 Siegsdorf
Year of manufacture: 2023	

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate


bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEVOC	KE-G1/8i-99-0001m-P
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	719459 / 42623 / 1010
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2023	

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	719459 / 42623 / 1011
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2023	

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 719459 / 42623 / 1012  
**ECOLAB**  
Year of manufacture: 2023  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 24 [n/min]  
pulse rate


bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	719459 / 42623 / 1013
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2023	

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	719459 / 42623 / 1014
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2023	

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer \_\_\_\_\_

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	719459 / 42623 / 1015
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2023	

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 719459 / 42623 / 1016

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 719459 / 42623 / 1017  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 719459 / 42623 / 1018  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 719459 / 42623 / 1019

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 719459 / 42623 / 1020  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Juni 2023

Prüfer P. 421