

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VGFPPVKE-G1/8I-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1030

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1029

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1028

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
85313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1027
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf

ECOLAB

Year of manufacture: 2023



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1026

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1025

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 03. Okt. 2023

Prüfer P 427

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1024

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reiffenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P_421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1023
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf

ECOLAB

Year of manufacture: 2023



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 03. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1022

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1021
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstr. 7
83113 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1020

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83315 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1019

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1018

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1017

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 18 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer PLA

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
11.2 / 13.5 l/h (50/60 Hz)
Max. pump size: PNP
Semiconductor junction: 724304 / 33923 / 1016
Serial number:

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83113 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001 m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1015

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83113 Siegedorf



Anlaufgrenze 0.8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1014

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1013

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reiffenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001 m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNB
Serial number: 724304 / 33923 / 1012

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Stegach



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1011

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1010
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1009

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffaisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1008

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1007

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1006

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffisenstrasse 7
65313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 11,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1005

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1004

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0.18 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1003

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reiffenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,18 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/81-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1002

ECOLAB
Year of manufacture: 2023

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegenhof



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1125 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421

Prüfprotokoll OGMplus

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/Bi-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 724304 / 33923 / 1001
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 09. Okt. 2023

Prüfer P 421