

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8I-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1001
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1002
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8I-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1003
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1004

ECOLAB

Year of manufacture: 2024

Made In Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8I-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1005
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1006
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1007
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1008
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVC/KE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1009
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1010
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/81-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1011
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Rathfelestrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1012
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1013
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-3001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1014
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1015
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1016

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1017

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8I-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1018

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8I-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1019

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1020
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1021

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1022
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1023

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/BI-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1024

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.03.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVC KE-G 1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 732425 / 11224 / 1025
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Slegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21.03.24

Prüfer P3