

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1100

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 62 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Soller edler

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1099
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Solleröder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1098

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 61 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/41-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1097
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Ralfheisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6-12-22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1096
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1095

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
120 / 144 l/h (50/60Hz)
Max. pump size: PNP
Semiconductor junction: 704938 / 14822 / 1094
Serial number: **ECOLAB**
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollersdorfer

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10.0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1093

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
85313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollercedes

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1092

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Ralf-Haenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1064
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 85 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer S. Heredes

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1065
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 61 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1066
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1067
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Soller edler

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1068
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1069

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reinfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1070
ECOLAB
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollnereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1071
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstrasse
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1072
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegstorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1073

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1074

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704936 / 14822 / 1075
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1076
ECOLAB
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 61 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1077
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Solleröder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1078
ECOLAB[®]
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siesgdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1079
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1080
ECOLAB
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Solleroder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-09-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1081
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1082
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollwender

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1083

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1084
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollreder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1085
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 85 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1086
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6-12-22

Prüfer Sollner

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1087

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Soller edler

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1088

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1089
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1090
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 70 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1091

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollnereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1063
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Ralf Feisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1062
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollnereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1061
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1060
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Ralfwiesenstrasse 7
83313 Siegsdorf



Anlaufgrenze 70 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1059

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
RalfFeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 61 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Soller edler

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1058
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1057

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGMP Plus

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
120 / 144 l/h (50/60Hz)
Max. pump size: PNP
Semiconductor junction: 704938 / 14822 / 1056
Serial number:
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 85 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1055
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 67 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1054

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1053

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollerseder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1052

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPK KE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1051
ECOLAB
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1050
ECOLAB
Year of manufacture: 2022

Made In Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1049

ECOLAB

Year of manufacture: 2022

Made In Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer S. Ullrich

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1048

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 61 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6. 12. 22

Prüfer Sollerscher

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1047
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1046

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsestrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollx edes

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10.0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1045

ECOLAB

Year of manufacture: 2022

Made In Germany by:
Ecolab Engineering GmbH
RalfHeisenstrasse 7
89313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1044

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 61 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1043
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1042
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1041
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollerseder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10.0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1040
ECOLAB
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 9
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1039

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1038
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1037
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 61 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/41-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1036

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstraße 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l.
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1035
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6-11-22

Prüfer Sollerseder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1034
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siesgendorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1033
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Soller cepher

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1032

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1031
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1030
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1029
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1028
ECOLAB
Year of manufacture: 2022

Made In Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Soller edler

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1027
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollneredel

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1026

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollner

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
120 / 144 l/h (50/60Hz)
Max. pump size:
Semiconductor junction: PNP
704938 / 14822 / 1025
Serial number:
ECOLAB
Year of manufacture: 2022

Made In Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereader

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1024

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollerseder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1023
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 70 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollerseder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1022

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollnereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1021
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollnereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1020

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Solleseder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1019

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollerceder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VGFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1018
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollerseder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1017
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollner

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1016

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Singsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1015

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6. 12. 22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1014
ECOLAB
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 62 [n/min]
pulse rate

bei 05 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Solteröder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1013

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 05 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1012

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 05 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1011
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
85313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollnereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1010
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Ralf Feisenstrasse 7
85313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Soller edes

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1009

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollerseder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1008

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollersedes

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1007
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
85313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1006

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sellereider

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1005
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollerscher

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1004

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Soltereder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1003
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollerseder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704936 / 14822 / 1002

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Sollerseder

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 704938 / 14822 / 1001

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 6.12.22

Prüfer Solker ady