

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 705011 / 44622 / 1001
ECOLAB
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.11.22

Prüfer Sollerseder

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 705011 / 44622 / 1002
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.11.22

Prüfer Sollner

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 705011 / 44622 / 1003
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.11.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PR, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 705011 / 44622 / 1004
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 120 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.11.22

Prüfer Sollnereder

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PR, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 705011 / 44622 / 1005
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Ratfeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 120 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.11.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 705011 / 44622 / 1006

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 121 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.11.22

Prüfer Sollersdorfer

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 705011 / 44622 / 1007
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.11.22

Prüfer Soller ester

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 705011 / 44622 / 1008

ECOLAB[®]

Year of manufacture: 2022

Made In Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.11.22

Prüfer Sollgegerl

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 705011 / 44622 / 1009
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Ralf Feisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 123 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.11.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 705011 / 44622 / 1010
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 119 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.11.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PR, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 705011 / 44622 / 1011

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 119 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.11.22

Prüfer Sollereder

Prüfprotokoll OGM^{plus}

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	705011 / 44622 / 1012
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2022	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 108 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.11.22

Prüfer Sollreider

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 705011 / 44622 / 1013

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.11.22

Prüfer Sollerseder

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G 1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 705011 / 44622 / 1014
ECOLAB
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.11.22

Prüfer Sollers edler

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 705011 / 44622 / 1015
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 119 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.11.22

Prüfer Sollfeder