

Prüfprotokoll OGM^{plus}

Model number: 280161
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-N
Materials of construction: PVC, FKM HF, PVDF, ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: NPN
Serial number: 719469 / 23023 / 1001
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280161
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-N
Materials of construction: PVC, FKM HF, PVDF, ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: NPN
Serial number: 719469 / 23023 / 1002
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280161
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-N
Materials of construction: PVC, FKM HF, PVDF, ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: NPN
Serial number: 719469 / 23023 / 1003

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280161
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-N
Materials of construction: PVC, FKM HF, PVDF, ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: NPN
Serial number: 719469 / 23023 / 1004
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280161
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/81-99-2600p-N
Materials of construction: PVC, FKM HF, PVDF, ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: NPN
Serial number: 719469 / 23023 / 1005

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280161
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-N
Materials of construction: PVC, FKM HF, PVDF, ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: NPN
Serial number: 719469 / 23023 / 1006

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelensstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280161
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-N
Materials of construction: PVC, FKM HF, PVDF, ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: NPN
Serial number: 719469 / 23023 / 1007

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280161
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-N
Materials of construction: PVC, FKM HF, PVDF, ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: NPN
Serial number: 719469 / 23023 / 1008

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280161
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-N
Materials of construction: PVC, FKM HF, PVDF, ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: NPN
Serial number: 719469 / 23023 / 1009

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Hälfeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280161
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-N
Materials of construction: PVC, FKM HF, PVDF, ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: NPN
Serial number: 719469 / 23023 / 1010

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number:	280161
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCFPVKE-G1/8i-99-2600p-N	
Materials of construction:	PVC, FKM HF, PVDF, ceramic
Signal output (standard):	0,38 ml/pulse, 2600 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	NPN
Serial number:	719469 / 23023 / 1011
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2023	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280161
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-N
Materials of construction: PVC, FKM HF, PVDF, ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: NPN
Serial number: 719469 / 23023 / 1012
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280161
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/Bi-99-2600p-N
Materials of construction: PVC, FKM HF, PVDF, ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: NPN
Serial number: 719469 / 23023 / 1013
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280161
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-N
Materials of construction: PVC, FKM HF, PVDF, ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: NPN
Serial number: 719469 / 23023 / 1014
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280161
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-N
Materials of construction: PVC, FKM HF, PVDF, ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: NPN
Serial number: 719469 / 23023 / 1015
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
33313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280161
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-N
Materials of construction: PVC, FKM HF, PVDF, ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: NPN
Serial number: 719469 / 23023 / 1016

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280161
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-N
Materials of construction: PVC, FKM HF, PVDF, ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: NPN
Serial number: 719469 / 23023/ 1017

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280161
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-N
Materials of construction: PVC, FKM HF, PVDF, ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: NPN
Serial number: 719469 / 23023 / 1018

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280161
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-N
Materials of construction: PVC, FKM HF, PVDF, ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: NPN
Serial number: 719469 / 23023 / 1019
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 26.07.23

Prüfer P3