

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1001

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeleenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1002

ECOLAB[®]
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1003

ECOLAB[®]
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1004

ECOLAB[®]

Made in Germany by:
Ecolab Engineering GmbH
Ralfelisenstrasse 7
83113 Siedsdorf



Year of manufacture: 2023

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1005

ECOLAB[®]

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1006

ECOLAB[®]

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1007

ECOLAB[®]

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1008

ECOLAB[®]

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1009

ECOLAB[®]
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1010

ECOLAB[®]

Made in Germany by:
Ecolab Engineering GmbH
Ralffelsenstrasse 7
83313 Siedsdorf



Year of manufacture: 2023

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1011

ECOLAB[®]

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1012

ECOLAB[®]

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1013

ECOLAB[®]

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1014

ECOLAB[®]

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1015

ECOLAB[®]

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22. 11. 23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1016

ECOLAB[®]

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1017

ECOLAB[®]

Year of manufacture: 2023

Made In Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22. 11. 23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1018

ECOLAB[®]

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1019

ECOLAB[®]

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Year of manufacture: 2023

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 725694 / 54623 / 1020

ECOLAB[®]
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22. 11. 23

Prüfer P3