

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495620 / 31322 / 1001



ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 123 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN. **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: ~~495520~~ /31322/1002

ECOLAB Engineering GmbH
D-83313 Stegendorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495820/31322/1003

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495820/31322/1004

ECOLAB Engineering GmbH
D-83313 Stegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495920/31322/1005

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 125 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495820/31322/1008

ECOLAB Engineering GmbH
D-83133 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.4.22

Prüfer P 12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495820 / 31322 / 1007

ECOLAB Engineering GmbH
D-63313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 121 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.4.22

Prüfer P 12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495620/31322/1008

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 122 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.4.22

Prüfer P 12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495820 / 31322 / 1009

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 126 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.4.22

Prüfer P 12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic
signal output (standard): 5.0 ml/pulse, 200 pulses/l
max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
prod. code: 495820/31322/1010

ECOLAB Engineering GmbH
D-83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 119 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495620 / 31922 / 1011

ECOLAB Engineering GmbH

D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-09-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495020/31022/1012

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 123 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: **495620/31322/1013**

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 119 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495820/31322/1014

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 120 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. 4. 22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495620/3102/1015

ECOLAB Engineering GmbH
D-83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 117 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495620/31322/1016

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic
signal output (standard): 5.0 ml/pulse, 200 pulses/l
max. pump size: 120 / 144 l/h (60/60Hz)
semiconductor junction: PNP
prod. code: 495820/31322/1017

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 121 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **260048**



OGM PLUS 01200PEPPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: **495620/31322/1018**

ECOLAB Engineering GmbH
D-63313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 120 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.4.22

Prüfer P 12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2l-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: **495820/31322/1019**

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 120 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13. 4. 22

Prüfer P 12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495620/31322/1020

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 117 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495620/31322/1021

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 122 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495620/31022/1022

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 121 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction:	PP, EDPM, PEEK, ceramic
signal output (standard):	5,0 ml/pulse, 200 pulses/l
max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
prod. code:	495620 / 31922 / 1023

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-00-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: ~~495020~~ /3132/1024

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: **495820 / 31322 / 1025**

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 119 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495520/31322/1026

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 127 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200



PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic
signal output (standard): 5,0 ml/pulse, 200 pulses/l
max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
prod. code: 495820/31322/1027

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 126 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13. 4. 22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: 280048



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495820/31322/1028

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 124 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495620/31322/1029

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 125 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.4.22

Prüfer P12

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: **495620/31322/1030**

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.4.22

Prüfer P12