

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1001	
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200	
PN: <b>10240555</b>	
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
materials of construction:	PVC, FPM, PEEK, ceramic
signal output (standard):	5.0 ml/pulse, 200 pulses/l
max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Year/Prod. code:	2022 / 497031 / 12522 / 1002
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 108 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P\_410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200  
PN: **10240555**  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
materials of construction: PVC, FPM, PEEK, ceramic  
signal output (standard): 5.0 ml/pulse, 200 pulses/l  
max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Year/Prod. code: 2022 / 497031 / 12522 / 1003  
ECOLAB Engineering GmbH  
D-83313 Siegedorf  
Made in Germany

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200	
PN: 10240555	
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P	
materials of construction:	PVC, FPM, PEEK, ceramic
signal output (standard):	5.0 ml/pulse, 200 pulses/l
max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Year/Prod. code:	2022 / 497031 / 125 22 / 1004
ECOLAB Engineering GmbH D-63313 Siegsdorf Made in Germany	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200  
PN: **10240555**  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
materials of construction: PVC, FPM, PEEK, ceramic  
signal output (standard): 5,0 ml/pulse, 200 pulses/l  
max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Year/Prod. code: 2022 / 497031 / 1 25 22 / 1005  
ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P\_410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: 10240555		
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1006	
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 109 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200	
PN: <b>10240555</b>	
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
materials of construction:	PVC, FPM, PEEK, ceramic
signal output (standard):	5,0 ml/pulse, 200 pulses/l
max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Year/Prod. code:	2022 / 497031 / 1 25 22 / 1007
ECOLAB Engineering GmbH	
D-83313 Slegsdorf	
Made in Germany	
	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200  
PN: **10240555**  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
materials of construction: PVC, FPM, PEEK, ceramic  
signal output (standard): 5,0 ml/pulse, 200 pulses/l  
max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Year/Prod. code: 2022 / 497031 / 1 25 22 / 1008

ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 113 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: 10240555		
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1009	
ECOLAB Engineering GmbH D-83313 Slegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1010	
ECOLAB Engineering GmbH D-83313 Siedsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200  
PN: **10240555**   
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
materials of construction: PVC, FPM, PEEK, ceramic  
signal output (standard): 5,0 ml/pulse, 200 pulses/l  
max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Year/Prod. code: 2022 / 497031 / 12522 / 1011

---

ECOLAB Engineering GmbH  
D-83313 Slegsdorf   
Made in Germany

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 108 [n/min]  
pulse rate



bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: 10240555		
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1012	
ECOLAB Engineering GmbH D-83313 Slegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1013	
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1014	
ECOLAB Engineering GmbH D-83313 Siegedorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1015	
ECOLAB Engineering GmbH D-83313 Slegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: 10240555		
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1018	
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1017	
ECOLAB Engineering GmbH D-83313 Slegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 113 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 1 25 22 / 1018	
ECOLAB Engineering GmbH D-83313 Siedsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: 10240555		
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1019	
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497031 / 12522 / 1020

ECOLAB Engineering GmbH

D-83313 Siegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 109 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1021	
ECOLAB Engineering GmbH D-83313 Slegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1022	
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1023	
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200	
PN: <b>10240555</b>	
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
materials of construction:	PVC, FPM, PEEK, ceramic
signal output (standard):	5,0 ml/pulse, 200 pulses/l
max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Year/Prod. code:	2022 / 497031 / 12522 / 1024
ECOLAB Engineering GmbH D-93313 Slegsdorf Made in Germany	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer **P 410**



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 1 25 22 / 1025	
ECOLAB Engineering GmbH D-83313 Siegedorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200	
PN: <b>10240555</b>	
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
materials of construction:	PVC, FPM, PEEK, ceramic
signal output (standard):	5.0 ml/pulse, 200 pulses/l
max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Year/Prod. code:	2022 / 497031 / 12522 / 1026
ECOLAB Engineering GmbH D-83313 Stegedorf Made in Germany	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: 10240555		
OGM PLUS 01200VCFPPKKE-G3/41-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 1 25 22 / 1027	
ECOLAB Engineering GmbH D-83313 Siedsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497031 / 1 25 22 / 1028

ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 125 22 / 1029	
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1030	
ECOLAB Engineering GmbH D-83313 Siegedorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: 10240555		
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1031	
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1032	
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 108 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200	
PN: <b>10240555</b>	
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
materials of construction:	PVC, FPM, PEEK, ceramic
signal output (standard):	5,0 ml/pulse, 200 pulses/l
max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Year/Prod. code:	2022 / 497031 / 12522 / 1033
ECOLAB Engineering GmbH D-83133 Siegsdorf Made in Germany	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 108 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 125 22 / 1034	
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 113 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497031 / 12522 / 1035

ECOLAB Engineering GmbH

D-83313 Slegsdorf

Made in Germany

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1036	
ECOLAB Engineering GmbH D-63313 Siedsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 113 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: 10240555		
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 1 25 22 / 1037	
ECOLAB Engineering GmbH D-63313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**

OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497031 / 12522 / 1038

ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: 10240555		
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1039	
ECOLAB Engineering GmbH D-83313 Slegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate



bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: 10240555		
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 1 25 22 / 1040	
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200	
PN: <b>10240555</b>	
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P	
materials of construction:	PVC, FPM, PEEK, ceramic
signal output (standard):	5,0 ml/pulse, 200 pulses/l
max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Year/Prod. code:	2022 / 497031 / 1 2522 / 1041
ECOLAB Engineering GmbH D-83313 Siegedorf Made in Germany	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 108 [n/min]  
pulse rate



bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 1 25 22 / 1042	
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 108 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: 10240555		
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1043	
ECOLAB Engineering GmbH D-63313 Sieddorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1044	
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 108 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **10240555**



OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497031 / 1 25 22 / 1045

ECOLAB Engineering GmbH  
D-63313 Siegedorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate



bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 1 25 22 / 1046	
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 109 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200	
PN: <b>10240555</b>	
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
materials of construction:	PVC, FPM, PEEK, ceramic
signal output (standard):	5.0 ml/pulse, 200 pulses/l
max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Year/Prod. code:	2022 / 497031 / 12522 / 1047
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 108 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 12522 / 1048	
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 108 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer **P 410**



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: <b>10240555</b>		
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 1 25 22 / 1049	
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 109 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: 10240555



OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2022 / 497031 / 12522 / 1050

ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 108 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200		
PN: 10240555		
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2022 / 497031 / 125 22 / 1051	
ECOLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.06.22

Prüfer P 410