

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112 OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	711316 / 5923 / 1001
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstraße 7 85313 Siegsdorf
Year of manufacture:	2022



Anlaufgrenze 080 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 125 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 8.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.98 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711316 / 5923 / 1014

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
63313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 8.3.2023

Prüfer PSM

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
11.2 / 13.5 l/h (50/60 Hz)
Max. pump size: PNP
Semiconductor junction: 711316 / 5923 / 1013
Serial number:

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 8.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse; 2600 pulses/l
11.2 / 13.5 l/h (50/60 Hz)
Max. pump size: PNP
Semiconductor junction: 711316 / 5923 / 1012
Serial number:

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 8.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711316 / 5923 / 1011

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Haltfensstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 8.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0,39 ml/pulse, 2600 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	711316 / 5923 / 1010
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstraße 7 83313 Siegsdorf
Year of manufacture:	2022



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 8.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711316 / 5923 / 1009

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Ratfeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 980 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 8.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFFPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.36 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711316 / 5923 / 1008

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0.80 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 8.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W31262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711316 / 5923 / 1007
ECOLAB
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0.80 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 8.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G 1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.98 ml/pulse, 2600 pulses/l
11.2 / 13.5 l/h (50/60 Hz)
Max. pump size: PNP
Semiconductor junction: 711316 / 5923 / 1008
Serial number:

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Rarfeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0.80 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 8.3.2023

Prüfer PB91

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2800 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711316 / 5923 / 1005
ECOLAB
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
65313 Siegbach



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 8.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/6i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711316 / 5923 / 1004

ECOLAB

Year of manufacture: 2022

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 8.3.2023

Prüfer P394

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/81-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711316 / 5923 / 1003

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 8.3.2023

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711316 / 5923 / 1002

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 8.3.2023

Prüfer P391