

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1001  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1002

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1003

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1004  
**ECOLAB**  
Year of manufacture: 2023  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
63313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-F  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1005  
**ECOLAB**  
Year of manufacture: 2023  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1006

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Ralf Feigenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/41-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1007  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfwiesenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1008

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1009  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1010

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1011  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1012  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1013

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123/ 1014

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1015  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1016  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Reifenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1017  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1018  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1019

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1020  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1021  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1022

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1023

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1024  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1025

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1026  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1027  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1028

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
85313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1029

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1030  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1031

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Ralf Feisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1032

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1033

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
63313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1034  
**ECOLAB**  
Year of manufacture: 2023  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1035

**ECOLAB\***

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1036

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1037  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1038  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1039

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
63313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 85 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1040  
**ECOLAB\***  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1041

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1042  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1043  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1044

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse /  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1045  
**ECOLAB**  
Year of manufacture: 2023

Made In Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1046  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1047

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1048

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1049  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1050

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 08.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1051  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1052

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1053

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1054

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1055

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1056  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffaßenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1057  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raifelsenstrasse 7  
83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60-Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1058

**ECOLAB**

Year of manufacture: 2023

Made In Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1059

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1060  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1061  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 260043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123/ 1062  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1063

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1064  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffaisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1065  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Reifelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1066

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60-Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1067

**ECOLAB**

Year of manufacture: 2023

Made In Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1068

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffaisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1069  
**ECOLAB**  
Year of manufacture: 2023

Made In Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280043  
Model description: Oval gear meter PLUS 00540  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 54 / 65 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 718579 / 13123 / 1070

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07.08.23

Prüfer P3