

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1001

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1002

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. JULI 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1003

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1004
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegsdorf

ECOLAB

Year of manufacture: 2023



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl _____ [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/6i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1005

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1006

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1007

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/B1-99-0001 m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1008

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer 

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/BI-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1009

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. JUNI 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001 m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1010

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1011

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siagsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1012
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raffaelsenstraße 7
83313 Siegsdorf



Anlaufgrenze 0.18 [l/h]*
lower measuring range limit

Impulszahl 18 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1013

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1014

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1015
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

ECOLAB

Year of manufacture: 2023



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1016

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1017

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1018

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1019

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1020

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1021

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1022

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001 m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1023

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83113 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001 m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1024

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1025

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1026

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1027

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0.8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. JUNI 2023

Prüfer 12

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001 m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1028

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0.8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1029

ECOLAB
Year of manufacture: 2023

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 718111 / 22723 / 1030

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0.8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06. Juli 2023

Prüfer P 421