

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280074**



OGM PLUS 01200VCEPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497834/22822/1001

ECOLAB Engineering GmbH  
D-63313 Slegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 56 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280074**

OGM PLUS 01200VCEPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497834 / 22622 / 1002

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 58 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280074**

OGM PLUS 01200VCEPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497834/22622/1003

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 56 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280074**

OGM PLUS 01200VCEPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, EPDM, PEEK, ceramic  
signal output (standard): 10.0 ml/pulse, 100 pulses/l  
max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
prod. code: 01/497834 / 22622 / 1004

ECOLAB Engineering GmbH  
D-83313 Stegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 57 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280074**



OGM PLUS 01200VCEPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497834/22022/1005

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 57 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280074**

OGM PLUS 01200VCEPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 497834 / 22822 / 1008

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 57 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280074**

OGM PLUS 01200VCEPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 497834 / 22622 / 1007

ECOLAB Engineering GmbH  
D-83313 Stegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 55 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280074**

OGM PLUS 01200VCEPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 10.0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497834 / 22622 / 1008

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 54 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280074**



OGM PLUS 01200VCEPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497834/22822/1009

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 56 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280074**

OGM PLUS 01200VCEPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497834 / 22622 / 1010

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 55 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280074**

OGM PLUS 01200VCEPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497634 / 22622 / 1011

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 56 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280074**



OGM PLUS 01200VCEPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497834/22022/1012

ECOLAB Engineering GmbH  
D-53313 Sieglar



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 54 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280074**

OGM PLUS 01200VCEPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497834 / 22022 / 1013

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 54 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280074**

OGM PLUS 01200VCEPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497834/22822/1014

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 56 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **260074**

OGM PLUS 01200VCEPPKKE-G3/4I-99-0010m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 10,0 ml/pulse, 100 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497834/2202/1015

ECOLAB Engineering GmbH  
D-63313 Slegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 54 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer **P 410**