

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1001
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 38 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1002
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 36 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1003

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 37 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1004
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1005

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1006

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 36 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum Mai 2023

Prüfer P 45

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1007
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse /
83313 Slegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1008
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reifenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 37 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 42

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPK KE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1009
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 36 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1010
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum _____

Prüfer 10. Mai 2023 P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1011
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1012

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse
83313 Slegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1013
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1014

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1015
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1016

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1017
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1018

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralf Heisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10 Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1019
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1020
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 8 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1021
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1022
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10 Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1023
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Häufelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 36 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1024
ECOLAB
Year of manufacture: 2023

Made In Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1025

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10 Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1026
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. März 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1027
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reifenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1028
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1029
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstraße 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1030
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280043
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 714214 / 21923 / 1031

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Mai 2023

Prüfer 