

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1001

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1002

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 111 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1003
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siesgendorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 120 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1004
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 115 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1005

ECOLAB®

Year of manufacture: 2023

Made In Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1006
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 3.5 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PR, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1007
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1008

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralfheisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 120 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1009
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 120 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1010

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1011

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 117 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1012
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1013

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1014

ECOLAB

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf

Year of manufacture: 2023



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 111 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1015
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1016

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 121 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1017
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raiffisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1018

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1019

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raihfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 718213 / 32723 / 1020

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12.07.23

Prüfer P3