

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497817/42722/1001

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540	
PN: <b>280043</b>	
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P	
materials of construction:	PVC, FPM, PEEK, ceramic
signal output (standard):	5.0 ml/pulse, 200 pulses/l
max. pump size:	54 / 65 l/h (50/60Hz)
semiconductor junction:	PNP
prod. code:	01/497817/42722/1002
ECOLAB Engineering GmbH D-83313 Siegedorf	

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540		
PN: <b>280043</b>		
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 85 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01/497817/42722/1009	
ECOLAB Engineering GmbH D-83313 Siegedorf		

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540  
PN: **280043**  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
materials of construction: PVC, FPM, PEEK, ceramic  
signal output (standard): 5,0 ml/pulse, 200 pulses/l  
max. pump size: 54 / 65 l/h (50/60Hz)  
semiconductor junction: PNP  
prod. code: 01/497817/42722/1004

ECOLAB Engineering GmbH  
D-83313 Siegedorf

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540		
PN: <b>280043</b>		
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 85 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01/497817/42722/1005	
ECOLAB Engineering GmbH D-83313 Siegedorf		

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497817/42722/1006

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate



bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540		
PN: <b>280043</b>		
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 65 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01/497817/42722/1007	
ECOLAB Engineering GmbH D-83313 Siegedorf		

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 31 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497817/42722/1008

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at



\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540		
PN: <b>280043</b>		
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 85 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01/497817/42722/1009	
ECOLAB Engineering GmbH		
D-83313 Siegsdorf		

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540		
PN: <b>280043</b>		
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 85 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01/497817/42722/1010	
ECOLAB Engineering GmbH D-83313 Siegsdorf		

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540  
PN: **280043**  
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
materials of construction: PVC, FPM, PEEK, ceramic  
signal output (standard): 5,0 ml/pulse, 200 pulses/l  
max. pump size: 54 / 85 l/h (50/60Hz)  
semiconductor junction: PNP  
prod. code: 01/497817/42722/1011

ECOLAB Engineering GmbH  
D-63313 Sieglar

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate



bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540		
PN: <b>280043</b>		
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 65 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01/497817/42722/1012	
ECOLAB Engineering GmbH D-83313 Siegedorf		

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 35 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 497817 / 42722 / 1013

ECOLAB Engineering GmbH  
D-63313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540		
PN: <b>280043</b>		
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 65 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01 / 497B17 / 42722 / 1014	
ECOLAB Engineering GmbH D-83313 Siegsdorf		

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540		
PN: <b>280043</b>		
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 65 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01/497817/42722/1015	
ECOLAB Engineering GmbH D-83313 Siegsdorf		

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 35 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497817/42722/1018

ECOLAB Engineering GmbH  
D-83313 Slegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 35 [n/min]  
pulse rate

bei 10 [l/h]\*  
at



\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540		
PN: <b>280043</b>		
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 95 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01/497817/42722/1017	
ECOLAB Engineering GmbH D-83313 Siegsdorf		

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 35 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540		
PN: <b>280043</b>		
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 85 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01/497817/42722/1018	
ECOLAB Engineering GmbH D-83313 Siegsdorf		

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 497817 / 42722 / 1019

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540		
PN: <b>280043</b>		
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 65 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01/497817/42722/1020	
ECOLAB Engineering GmbH D-83313 Siegsdorf		

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497817/42722/1021

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 30 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540		
PN: <b>290043</b>		
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 65 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	D1/497817/42722/1022	
ECOLAB Engineering GmbH D-83313 Siegsdorf		

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 35 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540	
PN: <b>280043</b>	
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P	
materials of construction:	PVC, FPM, PEEK, ceramic
signal output (standard):	5,0 ml/pulse, 200 pulses/l
max. pump size:	54 / 85 l/h (50/60Hz)
semiconductor junction:	PNP
prod. code:	01 / 497817 / 42722 / 1023
ECOLAB Engineering GmbH D-83313 Siegedorf	

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P\_410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540	
PN: <b>280043</b>	
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P	
materials of construction:	PVC, FPM, PEEK, ceramic
signal output (standard):	5.0 ml/pulse, 200 pulses/l
max. pump size:	54 / 85 l/h (50/60Hz)
semiconductor junction:	PNP
prod. code:	01/497B17/42722/1024
ECOLAB Engineering GmbH	
D-83313 Siegedorf	

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer **P 410**



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497817/42722/1025

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 35 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540		
PN: <b>280043</b>		
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 65 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01 / 497817 / 42722 / 1028	
ECOLAB Engineering GmbH D-83313 Siegedorf		

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 32 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540		
PN: <b>280043</b>		
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 65 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01/497817/42722/1027	
ECOLAB Engineering GmbH D-83313 Siegsdorf		

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540	
PN: <b>280043</b>	
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P	
materials of construction:	PVC, FPM, PEEK, ceramic
signal output (standard):	5.0 ml/pulse, 200 pulses/l
max. pump size:	54 / 65 l/h (50/60Hz)
semiconductor junction:	PNP
prod. code:	01/497817/42722/1028
ECOLAB Engineering GmbH	
D-83313 Siegsdorf	
	

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540  
PN: **280043**   
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P  
materials of construction: PVC, FPM, PEEK, ceramic  
signal output (standard): 5.0 ml/pulse, 200 pulses/l  
max. pump size: 54 / 65 l/h (50/60Hz)  
semiconductor junction: PNP  
prod. code: 01/497817/42722/1029

---

ECOLAB Engineering GmbH  
D-83313 Siegedorf 

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 95 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497817/42722/1030

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540		
PN: <b>280043</b>		
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 65 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01/497817/42722/1031	
ECOLAB Engineering GmbH D-83313 Siegsdorf		

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 35 [n/min]  
pulse rate


bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540		
PN: <b>280043</b>		
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK, ceramic	
signal output (standard):	5,0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 65 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01 / 497817 / 42722 / 1032	
ECOLAB Engineering GmbH D-83313 Siegsdorf		

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 35 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497817/42722/1033

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 33 [n/min]  
pulse rate


bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540		
PN: <b>280043</b>		
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P		
materials of construction:	PVC, FPM, PEEK ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	54 / 85 l/h (50/60Hz)	
semiconductor junction:	PNP	
prod. code:	01/497817/42722/1034	
ECOLAB Engineering GmbH D-83313 Siegsdorf		

Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497817/42722/1035



ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]\*  
lower measuring range limit

Impulszahl 34 [n/min]  
pulse rate

bei 10 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 11.07.22

Prüfer P 410