

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1030

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1029

ECOLAB*

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1028

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1027

ECOLAB*

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 708575 / 24622 / 1028

ECOLAB

Year of manufacture: 2022

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1025

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1024

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1023

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/6i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1022
Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

ECOLAB

Year of manufacture: 2022



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1021

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1020

ECOLAB[®]
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 709575 / 24622 / 1019

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer R391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1018

ECOLAB[®]
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1017

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1016

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reiffenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24822 / 1015

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18. 11. 22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1014

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17.11.22

Prüfer P301

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1013

ECOLAB[®]
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reiffenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/BI-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1012

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0.80 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 708575 / 24622 / 1011
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 1.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1010

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1009

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
53313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1008

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001 m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1007

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 23 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1006

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1005

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1004

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegedorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1003

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1002

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 980 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17.11.22

Prüfer P391

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001 m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 706575 / 24622 / 1001

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,80 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17.11.22

Prüfer P391