

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1001

ECOLAB
Year of manufacture: 2022

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2800p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1002

ECOLAB

Year of manufacture: 2022

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPVKE-G1/8i-99-2500p-P
W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1003

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFFPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1004
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/81-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1005

ECOLAB

Year of manufacture: 2022

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.13

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1006

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1007
ECOLAB
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.39 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1008

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 42

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFFPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1009

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Ralfrennstraße 7
83313 Siegsdorf



Anlaufgrenze 0.18 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1.25 [l/h]*
at


* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1010
ECOLAB
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Reifenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction:
Signal output (standard):
Max. pump size:
Semiconductor junction:
Serial number:

PVC, FKM HF, PVDF, Ceramic
0,35 ml/pulse, 2600 pulses/l
11.2 / 13.5 l/h (50/60 Hz)
PNP
711314 / 2823 / 1011

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63513 Siegsdorf



Anlaufgrenze 0.8 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFFPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1012

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.01.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/81-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.36 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1013
ECOLAB
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Hainfassenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1014

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffetsmattstr. 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1015

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM, HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1016

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.23

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1017

ECOLAB
Year of manufacture: 2022

Made in Germany by
Ecolab Engineering GmbH
Raiffesenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1018
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Räufelsstr. 555 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1019

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raffelersstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.23

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1020

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.23

Prüfer P 421

Prüfprotokoll OGM plus

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/81-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1021
ECOLAB
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.23

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0,38 mJ/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1022

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Häufigenstr. 7
83313 Siegenbrunn



Anlaufgrenze 0.8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.23

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1023

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
85313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.23

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/BI-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1024

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Rauhenstrasse 7
53313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.01.23

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1025

ECOLAB

Year of manufacture: 2022

Made in Germany by
Ecolab Engineering GmbH
Raiffersanstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1028
ECOLAB
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Raiffersstraße 7
83313 Siegsdorf



Anlaufgrenze 0.8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.07.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1027

ECOLAB*

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.36 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1028

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM, HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2800 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1029

S

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffenstrasse 7
83313 Siegsdorf



Typenschild aufkleben

Anlaufgrenze 0.18 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1.125 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.07.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1030

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reifraedestraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1031

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Typenschild aufkleben

Anlaufgrenze 0.8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/6i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM, HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1032
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2013

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCPPVKE-G1/81-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2800 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1033

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.07.2023

Prüfer P 42

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G 1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1034

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
65313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.23

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.35 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1035

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
63313 Siegbach



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.23

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPVKE-G1/81-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1036

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0.8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.23

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.98 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1037

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.23

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1038

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
63313 Siegsdorf



Anlaufgrenze 0.18 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.23

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1039

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegenhof



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.23

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1040

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raffelsteinstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,81 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.23

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G 1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse; 2800 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1041

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,81 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.23

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/81-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1042

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,81 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.36 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1043

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raffelstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,81 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1044

ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegsdorf



Anlaufgrenze 0,84 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCPPVKE-G1/81-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1045

ECOLAB
Year of manufacture: 2022

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse
83313 Siegsdorf



Anlaufgrenze 0,81 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 42

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFFPVKE-G1/81-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1046

ECOLAB
Year of manufacture: 2022

Made In Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,81 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,15 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1047

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,81 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1048

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reiffersstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,81 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.23

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1049
ECOLAB
Year of manufacture: 2022
Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,81 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.02.23

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 711314 / 2823 / 1050

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raffaelsstraße 7
83313 Siegsdorf



Anlaufgrenze 0,81 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22-02-23

Prüfer P 421