

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001 m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 715570 / 22123 / 1022

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001 m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 715570 / 22123 / 1021

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 715570 / 22123 / 1020

ECOLAB

Year of manufacture: 2023

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 715570 / 22123 / 1019
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001 m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 715570 / 22123 / 1018

ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number:	280141
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FKM, PVDF, Ceramic
Signal output (standard):	1.0 ml/pulse, 1000 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	715570 / 22123 / 1017
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2023	



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 715570 / 22123 / 1016
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCPPVKE-G1/8i-99-0001 m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 715570 / 22123 / 1015

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCPPVKE-G1/8i-99-0001 m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 715570 / 22123 / 1014

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number:	280141
Model description:	Oval Gear Meter PLUS 00112
	OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction:	PVC, FKM, PVDF, Ceramic
Signal output (standard):	1.0 ml/pulse, 1000 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	715570 / 22123 / 1013
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture:	2023



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 715570 / 22123 / 1012

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number:	280141
Model description:	Oval Gear Meter PLUS 00112
	OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction:	PVC, FKM, PVDF, Ceramic
Signal output (standard):	1.0 ml/pulse, 1000 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	715570 / 22123 / 1011
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture:	2023



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 715570 / 22123 / 1010

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/6i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 715570 / 22123 / 1009
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/BI-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 715570 / 22123 / 1008

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number:	280141
Model description:	Oval Gear Meter PLUS 00112
	OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction:	PVC, FKM, PVDF, Ceramic
Signal output (standard):	1.0 ml/pulse, 1000 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	715570 / 22123 / 1007
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7
Year of manufacture: 2023	83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number:	280141
Model description:	Oval Gear Meter PLUS 00112
	OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction:	PVC, FKM, PVDF, Ceramic
Signal output (standard):	1.0 ml/pulse, 1000 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	715570 / 22123 / 1006
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffersstrasse 7 53313 Siegsdorf
Year of manufacture:	2023



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/Bi-99-0001 m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 715570 / 22123 / 1005

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/6i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 715570 / 22123 / 1004

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number:	280141
Model description:	Oval Gear Meter PLUS 00112
	OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction:	PVC, FKM, PVDF, Ceramic
Signal output (standard):	1.0 ml/pulse, 1000 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	715570 / 22123 / 1003
ECOLAB	Made in Germany by Ecolab Engineering GmbH Raiffersenstrasse 7 63313 Siegborn
Year of manufacture:	2023



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number:	280141
Model description:	Oval Gear Meter PLUS 00112
	OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction:	PVC, FKM, PVDF, Ceramic
Signal output (standard):	1.0 m/pulse, 1000 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	715570 / 22123 / 1002
ECOLAB	Made in Germany by:
Year of manufacture: 2023	Ecoblab Engineering GmbH
	Raiffeisenstraße 7
	83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 715570 / 22123 / 1001

ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.05.23

Prüfer P3