

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1001
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1002

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1003

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63319 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1004
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1005

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1006

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1007

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 260044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1008

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1009
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralf Feisenstrasse 7
83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1010

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1011

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
120 / 144 l/h (50/60Hz)
Max. pump size: PNP
Semiconductor junction: 717054 / 42523 / 1012
Serial number:

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1013

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1014
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1015

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1016

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1017

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/41-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1018

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralfwiesenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1019

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralfseisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1020

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralf-Nissen-Strasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1021

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1022

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1023

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstraße
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1024

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
120 / 144 l/h (50/60Hz)
Max. pump size: PNP
Semiconductor junction: 717054 / 42523 / 1025
Serial number:

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1026

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01 200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1027

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralf Feisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1028

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1029

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse
83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1030

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10.0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1031

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralffelsensstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1032
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1033

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1034

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1035
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1036
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1037

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1038

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1039

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1040

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1041
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1042
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1043

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1044

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1045

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1046

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1047

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1048

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Ralfwelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1049

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 717054 / 42523 / 1050

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.23

Prüfer P3