

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 726353 / 54623 / 1001  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Rai/Feisenstrassa 7  
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	726353 / 54623 / 1002
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siedsdorf
Year of manufacture: 2023	

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 726353 / 54623 / 1003  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 726353 / 54623 / 1004  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffisenstrasse 7  
83313 Siegedorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 726353 / 54623 / 1005

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 726353 / 54623 / 1006

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 726353 / 54623 / 1007  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/BI-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 726353 / 54623 / 1008  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 726353 / 54623 / 1009  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 726353 / 54623 / 1010  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegedorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 726353 / 54623 / 1011

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 726353 / 54623 / 1012  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
85313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 726353 / 54623 / 1013  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 726353 / 54623 / 1014

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 726353 / 54623 / 1015  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G 1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 726353 / 54623 / 1016

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 19 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 726353 / 54623 / 1017  
**ECOLAB**  
Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 726353 / 54623/ 1018  
**ECOLAB**  
Year of manufacture: 2023

Made In Germany by:  
Ecolab Engineering GmbH  
Ralfheisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	726353 / 54623 / 1019
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2023	

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer \_\_\_\_\_

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, FPM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 726353 / 54623 / 1020

**ECOLAB**

Year of manufacture: 2023

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22.11.23

Prüfer P3