

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495513 / 11322 / 1001

ECOLAB Engineering GmbH

D-63313 Siegedorf

Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 120 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495513/11322/1002

ECOLAB Engineering GmbH

D-83313 Siegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 122 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.04.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction:	PP, EDPM, PEEK, ceramic
signal output (standard):	5.0 ml/pulse, 200 pulses/l
max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
prod. code:	495513 / 11322 / 1003

ECOLAB Engineering GmbH  
D-83313 Stegedorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 121 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic  
signal output (standard): 5,0 ml/pulse, 200 pulses/l  
max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
prod. code: 495513 / 11322 / 1004

ECOLAB Engineering GmbH  
D-83313 Siedsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495513/11322/1005

ECOLAB Engineering GmbH

D-83313 Slegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 120 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495513/11322/1007

ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 119 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495513 / 11322 / 1008

ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 121 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.06.22

Prüfer \_\_\_\_\_

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495513 / 11322 / 1008

ECOLAB Engineering GmbH

D-83133 Siegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 121 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.06.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic  
signal output (standard): 5,0 ml/pulse, 200 pulses/l  
max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
prod. code: 495513/11322/1009

ECOLAB Engineering GmbH  
D-83313 Slegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495513 / 11322 / 1010

ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 119 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495513 / 11322 / 1011

ECOLAB Engineering GmbH

D-83313 Slegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 119 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.04.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495513 / 11322 / 1012

ECOLAB Engineering GmbH

D-83313 Siegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 120 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495513 / 11922 / 1013

ECOLAB Engineering GmbH

D-83313 Siegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495513 / 11322 / 1014

ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495513 / 11322 / 1015

ECOLAB Engineering GmbH  
D-83313 Siegedorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495513 / 11322 / 1018

ECOLAB Engineering GmbH

D-83313 Slegsdorf

Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.04.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495513/11322/1017

ECOLAB Engineering GmbH  
D-83313 Slegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 119 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495513/11322/1018

ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**



OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic  
signal output (standard): 5.0 ml/pulse, 200 pulses/l  
max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
prod. code: 495513/11322/1019

ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 122 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.04.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 01200

PN: **280048**

OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P

materials of construction: PP, EDPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 495513 / 11322 / 1020

ECOLAB Engineering GmbH  
D-83313 Siegsdorf  
Made in Germany



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 06.06.22

Prüfer P 410