

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22022/1001

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1002

ECOLAB Engineering GmbH
D-83313 Siedsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 m/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1003

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse; 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1004

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: 280043

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 497035 / 22822 / 1005

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **260043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1006

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1007

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-00-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60-Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1008

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 36 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1000

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1010

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 497035 / 22022 / 1011

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: 280043



OGM PLUS 00540VCFPPKKE-G1/4I-09-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1012

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer P_410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1013

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1014

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22022/1015

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22022/1010

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1017

ECOLAB Engineering GmbH
D-83313 Stegendorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1018

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1019

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 36 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1020

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 95 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 497035 / 22822 / 1021

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1022

ECOLAB Engineering GmbH
D-83313 Slegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22022/1023

ECOLAB Engineering GmbH
D-83313 Siegenhof



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1024

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1025

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.0622

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1026

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1027

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1028

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/467035/22622/1029

ECOLAB Engineering GmbH
D-63313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1030

ECOLAB Engineering GmbH
D-53313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 36 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1031

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1032

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/467035/22022/1035

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1034

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 497035 / 22622 / 1035

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1035

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 36 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22022/1037

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1038

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 497035 / 22022 / 1039

ECOLAB Engineering GmbH
D-83313 Slegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22022/1040

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: 280043



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1041

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*

lower measuring range limit

Impulszahl 34 [n/min]

pulse rate

bei 10 [l/h]*

at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 497035 / 22022 / 1042

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1043

ECOLAB Engineering GmbH
D-83313 Siedsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22022/1044

ECOLAB Engineering GmbH
D-83313 Siegenhof



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1045

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1046

ECOLAB Engineering GmbH
D-83113 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **260043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60-Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1047

ECOLAB Engineering GmbH
D-63313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **260043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1048

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1049

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1050

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22022/1051

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 m/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1052

ECOLAB Engineering GmbH
D-83113 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.2022

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **290043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1053

ECOLAB Engineering GmbH
D-83313 Siegenhof



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum ~~22~~ 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 497035 / 22822 / 1054

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1055

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1056

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1057

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1058

ECOLAB Engineering GmbH
D-83133 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1059

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1060

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 497035 / 22822 / 1061

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22022/1002

ECOLAB Engineering GmbH
D-83313 Stegadorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1063

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 497095 / 22622 / 1064

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1065

ECOLAB Engineering GmbH
D-83313 Stegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1066

ECOLAB Engineering GmbH
D-83313 Slegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1087

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01 / 497035 / 22922 / 1068

ECOLAB Engineering GmbH
D-83313 Siegenhof



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5.0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1069

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1070

ECOLAB Engineering GmbH

D-83313 Siedsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/41-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1071

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. 06. 22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**



OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22022/1072

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 36 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer P 410

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 85 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22822/1.073

ECOLAB Engineering GmbH
D-83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer **P 410**

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 00540

PN: **280043**

OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 54 / 65 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 01/497035/22622/1074

ECOLAB Engineering GmbH
D-83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29.06.22

Prüfer P 410