

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**



OGM PLUS 02100VCFPPKKE-G5/41-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044/42522/1001

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 72 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**



OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044 / 42522 / 1002

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 74 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**



OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044/42522/1003

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 71 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044/42522/1004

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 74 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**



OGM PLUS 02100VCFPPKKE-G5/4l-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044 / 42522 / 1005

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 72 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**



OGM PLUS 02100VCFPPKKE-G5/41-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044/42522/1008

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 74 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**



OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044 / 42522 / 1007

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 74 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044/42522/1008

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 72 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044 / 42522 / 1009

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 71 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044/42522/1010

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 72 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**



OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044 /42522/1011

ECOLAB Engineering GmbH  
D-63313 Siegedorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 74 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**



OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044 /42522 /1012

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 72 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**



OGM PLUS 02100VCFPPKKE-G5/41-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044/42522/1013

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 72 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4l-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044/42522/1014



ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 76 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**



OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044/42522/1015

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 73 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-89-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044/42522/1016

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl ~~35~~ 70 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer P 410



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**



OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044/42522/1017

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 74 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044 / 42522 / 1018

ECOLAB Engineering GmbH  
D-83313 Stegsdorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 73 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044/42522/1019

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 72 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044/42522/1020

ECOLAB Engineering GmbH  
D-83313 Siedsdorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 70 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**



OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044 /42522 /1021

ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 74 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4l-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20.0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044/42522/1022

ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 73 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer **P 410**

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: 280045

OGM PLUS 02100VCPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044 / 42522 / 1023

ECOLAB Engineering GmbH  
D-83313 Slegsdorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 73 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer P 410

# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044/42522/1024



ECOLAB Engineering GmbH  
D-83313 Siegsdorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 73 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer **P 410**



# Prüfprotokoll OGM<sup>plus</sup>

Oval gear meter PLUS 02100

PN: **280045**

OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P

materials of construction: PVC, FPM, PEEK, ceramic

signal output (standard): 20,0 ml/pulse, 50 pulses/l

max. pump size: 210 / 250 l/h (50/60Hz)

semiconductor junction: PNP

prod. code: 02/497044/42522/1025



ECOLAB Engineering GmbH  
D-83313 Siegedorf



Anlaufgrenze 50 [l/h]\*  
lower measuring range limit

Impulszahl 76 [n/min]  
pulse rate

bei 80 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 27.06.22

Prüfer P 410