

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1001

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 71 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1002
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 73 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1003

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 72 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-GS/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1004

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 72 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1005

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße
83313 Siedsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 75 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1008
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 71 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1007
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 70 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1008

ECOLAB*

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 73 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 07.11.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1009
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 72 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1010
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 70 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1011

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse
83313 Stegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 74 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1012
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 73 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04 Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKE-G5/4-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1013

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 70 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1014
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 74 [n/min]
pulse rate

bei 80 [l/h]*
c

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1015
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Reiffelstrasse 7
83313 Siegedorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 73 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1016
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 73 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1017

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 73 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1018
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 71 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1019
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
85313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 71 [n/min]
pulse rate
bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer _____

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1020
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 72 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPK KE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1021
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 72 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1022

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 75 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1023
ECOLAB
Year of manufacture: 2023
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siedsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 70 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20.0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1024
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 74 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1025
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegedorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 71 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

04. Mai 2023

Datum _____

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1026
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 70 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1027

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 73 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1028

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
85313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 72 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20.0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1029
ECOLAB
Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 73 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04 Mai 2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 711743 / 21823 / 1030

ECOLAB

Year of manufacture: 2023

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 73 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Mai 2023

Prüfer P 421