

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVC	KE-G 1/8i-99-0001 m-P
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	711299 / 5823 / 1001
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2022	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27. 02. 2023

Prüfer P 42

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	711299 / 5823 / 1002
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2022	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 711299 / 5823 / 1003
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsstrasse 7
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2013

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	711299 / 5823 / 1004
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2022	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 711299 / 5823 / 1005
ECOLAB®
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 711299 / 5823 / 1006
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	711299 / 5823 / 1007
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 83313 Siedsdorf
Year of manufacture: 2022	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 711299 / 5823 / 1008

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 711299 / 5823 / 1009

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsestrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 23 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP

ECOLAB

Year of manufacture: 2022

Serial number: 711299 / 5823 / 1010
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 23 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/81-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 711299 / 5823 / 1011
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Slegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate


bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	711299 / 5823 / 1012
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2022	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 9,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 711299 / 5823 / 1013
ECOLAB
Year of manufacture: 2022
Made in Germany by:
Ecolab Engineering GmbH
Reifenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVC KE-G1/8I-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 711299 / 5823 / 1014
ECOLAB
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 24 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	711299 / 5823 / 1015
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2022	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2023.

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G 1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	711299 / 5823 / 1016
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 83313 Siegsdorf
Year of manufacture: 2022	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate


bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	711299 / 5823 / 1017
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2022	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8I-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 711299 / 5823 / 1018

ECOLAB

Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at


* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	711299 / 5823 / 1019
ECOLAB	Made in Germany by:
Year of manufacture: 2022	Ecolab Engineering GmbH
	Raiffeisenstrasse 7
	83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2023

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 711299 / 5823 / 1020
ECOLAB[®]
Year of manufacture: 2022

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 27.02.2023

Prüfer P 425